

3.66	r 167 sp	short grass	?	3 / 1
3.69	b 168	bracken	<i>Pteridium aquilinum var. pubescens</i>	20 / 1 25
3.72		Cross sandy drainage of Penrod Creek branch		
3.86	l	PCT sign in a forest of interior live oak, <i>Q. wislizeni</i> , many with single trunks		
3.88		Leave forest		
4.00	r	PCT sign		
4.16		End current plant trail guide		
4.51		Cross tributary of west branch of Penrod Creek		
4.86		Cross another tributary of west branch of Penrod Creek		
5.14		Cross another tributary of west branch of Penrod Creek		
5.16		Cross road to marble mine		
6.10		Saddle, elevation 5940 feet (1810 m); jct. Tunnel Spring Trail (l), Oak Canyon Spring and Live Oak Spring Trails (r); cross to east side of Desert Divide		
7.89		Switchback left below Lion Peak		
8.07		Switchback right below Lion Peak		
8.89		Cross due west of Pine Mountain, elevation 6820 feet (2079 m); trail flattish for next 1.5 miles		
9.29		Closest approach to Pyramid Peak		
10.13		Little Desert Peak, elevation 6868 feet (2094 m)		
10.38	l	Saddle; jct. Cedar Spring Trail, elevation 6780 feet (2066 m)		
12.55		Cedar Spring Trailhead		

http://tchester.org/sb/plants/guides/PCT_n_SR74.html
Updated 9 June 2009.

Plant Guide to Pacific Crest Trail North of SR74, San Jacinto Mountains - Garner Valley Area

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin trail on north side of parking lot, elevation 4925 feet (1500 m). Check for creeping wild rye, <i>Leymus triticoides</i> , in first part of trail			
0.00	b	1		bur-ragweed	<i>Ambrosia acanthicarpa</i>	50 / 6	22
0.00	b	2		*redstem filaree	<i>Erodium cicutarium</i>	/	78
0.00	b	3	sp	suncup	<i>Camissonia sp.</i>	30 / 9	
0.00	b	4		*shortpod mustard	<i>Hirschfeldia incana</i>	30 / 2	55
0.00	b	5		*downy brome	<i>Bromus tectorum</i>	99 / 9	33
0.00	b	6		Palmer's oak	<i>Quercus palmeri</i>	20 / 5	1
0.00	b	7		sticky lessingia	<i>Lessingia glandulifera var. glandulifera</i>	50 / 5	3
0.00	b	8		desert globemallow	<i>Sphaeralcea ambigua var. rugosa</i>	10 / 9	4
0.00	b	9		wild pepper-grass	<i>Lepidium virginicum var. pubescens</i>	20 / 4	8
0.00	l	10		California-aster	<i>Lessingia filaginifolia var. filaginifolia</i>	30 / 7	64
0.00	l	11		blue elderberry	<i>Sambucus mexicana</i>	2 / 2	55
0.00	b	12		*tumble-mustard	<i>Sisymbrium altissimum</i>	20 / 3	12
0.00	l	13		*foxtail barley	<i>Hordeum murinum</i>	40 / 3	10
0.00	b	14	~	combseed	<i>Pectocarya penicillata</i>	10 / 1	5
0.00	l	15		Davidson's buckwheat	<i>Eriogonum davidsonii</i>	99 / 9	22
0.00	r			(cupped-leaf ceanothus, <i>Ceanothus greggii var. perplexans</i> ; Mexican manzanita, <i>Arctostaphylos pungens</i> ; birch-leaf mountain-mahogany, <i>Cercocarpus betuloides var. betuloides</i>)			
0.00	l	16		goldfields	<i>Lasthenia californica</i>	10 / 3	15
0.00	r	17		slender wreathplant	<i>Stephanomeria exigua ssp. deanei</i>	20 / 9	19
0.00	l	18		sapphire woolly-star	<i>Eriastrum sapphirinum</i>	40 / 5	10
0.01	l			(cut-down dead ponderosa pine, <i>Pinus ponderosa</i>)			
0.01	r			(wild tarragon, <i>Artemisia dracuncululus</i>)			
0.01	r	19		coastal gilia	<i>Gilia diegensis</i>	99 / 9	3
0.01	b	20	?	unk annual with petioled densely-tomentose pinnately-lobed lvs	?	/	
0.01	r	21		mountain sagebrush	<i>Artemisia tridentata ssp. vaseyana</i>	30 / 9	9
0.01	l	22		Wright's buckwheat	<i>Eriogonum wrightii var. membranaceum</i>	30 / 9	10
0.01	l			(leafy daisy?, <i>Erigeron foliosus?</i> ; red shanks, <i>Adenostoma sparsifolium</i>)			
0.01	r			(purple-root cryptantha, <i>Cryptantha micrantha</i>)			
0.01	l	23		rattlesnake weed	<i>Chamaesyce albomarginata</i>	20 / 3	14
0.01	l	24	~	mountain grape-soda lupine	<i>Lupinus excubitus var. austromontanus</i>	1 / 1	12
0.01	l	25		goosefoot yellow violet	<i>Viola purpurea ssp. quercetorum</i>	20 / 3	4

0.01	r 26	cupped-leaf ceanothus	<i>Ceanothus greggii</i> var. <i>perplexans</i>	50 / 9	11						
0.01	b 27	baby blue eyes	<i>Nemophila menziesii</i>	50 / 5	12	2.69	b 148	thick-leaved yerba santa	<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	10 / 3	12
0.01	r 28	popcorn flower	<i>Cryptantha intermedia</i>	50 / 9	34	2.69		Switchback right			
0.01	29	~ sand cress	<i>Calyptridium monandrum</i>	50 / 9	18	2.85	l 149	definite desert needlegrass	<i>Achnatherum speciosum</i>	/	5
0.01	r 30	~ green miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>viridis</i>	99 / 5	5	2.92		Local high point on trail, elevation 5200 feet (1585 m)			
0.01	r 31	leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	30 / 5	53	2.95		Cross small drainage			
0.01	r	~ (Munz's mariposa lily, <i>Calochortus palmeri</i> var. <i>munzii</i>)				3.00		Trail turns left 90°			
0.01	b 32	matchweed	<i>Gutierrezia sarothrae</i>	50 / 9	19	3.05		Trail turns left 90°			
0.02	r 33	bristly bird's beak	<i>Cordylanthus rigidus</i> ssp. <i>setigerus</i>	99 / 9	38	3.11		Switchback right			
0.02	l 34	chamise	<i>Adenostoma fasciculatum</i>	99 / 9	42	3.11	r 150	pancake prickly-pear	<i>Opuntia chlorotica</i>	1 / 1	3
0.02	l 35	Mexican manzanita	<i>Arctostaphylos pungens</i>	30 / 9	7	3.16	r 151	Parish's campion	<i>Silene parishii</i>	1 / 1	11
0.02	r 36	? popcorn flower	<i>Plagiobothrys</i> sp.?	30 / 3		3.20		Switchback left			
0.02	r	(golden yarrow, <i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>)				3.27		Switchback right			
0.02	b 37	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	50 / 9	48	3.29	b 152	mountain California-fuchsia	<i>Epilobium canum</i> ssp. <i>latifolium</i>	10 / 2	18
0.03	r 38	golden daisy	<i>Pentachaeta aurea</i>	50 / 3	3	3.29	c 153	*Bermuda grass	<i>Cynodon dactylon</i>	1 / 1	40
0.03	b 39	annual phlox	<i>Phlox gracilis</i>	/	4	3.34	r 154	side-oats grama	<i>Bouteloua curtipendula</i>	5 / 1	2
0.03	r 40	June grass	<i>Koeleria macrantha</i>	20 / 5	4	3.34	l 155	*rattail fescue	<i>Vulpia myuros</i>	20 / 1	30
0.03	r 41	~ Munz's mariposa lily	<i>Calochortus palmeri</i> var. <i>munzii</i>	5 / 3	2	3.34	l	(yarrow, <i>Achillea millefolium</i> ; arroyo willow, <i>Salix lasiolepis</i> ; velvet ash, <i>Fraxinus velutina</i>)			
0.03	r 42	~ Parish's needlegrass	<i>Achnatherum parishii</i>	99 / 9	12	3.34		Cross Penrod Creek; local low point, elevation 5030 feet (1533 m)			
0.03	l 43	small-flowered fiddleneck	<i>Amsinckia menziesii</i> var. <i>menziesii</i>	5 / 2	15	3.34	l	(~slender wheatgrass, <i>Elymus trachycaulus</i> ; common monkeyflower, <i>Mimulus guttatus</i> ; ripgut brome, <i>Bromus diandrus</i> ; Mexican rush, <i>Juncus mexicanus</i> ; ~lesser paintbrush, <i>Castilleja minor</i> ssp. <i>spiralis</i>)			
0.03	r 44	California thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>	20 / 9	17	3.34	l	~			
0.03	b 45	deergrass	<i>Muhlenbergia rigens</i>	50 / 9	32	3.34	l 156	water chickweed	<i>Montia fontana</i>	10 / 1	1
0.04	r 46	Mojave lomatium	<i>Lomatium mohavense</i>	20 / 9	2	3.34	b 157	willow-leaved dock	<i>Rumex salicifolius</i> var. <i>denticulatus</i>	5 / 1	12
0.04	l	Sign: "PCT; Live Oak Spring Trail 8 miles, Cedar Spring Trailhead 12 miles; Fobes Trailhead 15 miles; San Jacinto Peak 28 miles"				3.34	r 158	sp sow thistle	<i>Sonchus</i> sp.	1 / 1	
0.04	l 47	white mugwort	<i>Artemisia ludoviciana</i> ssp. <i>albula</i>	30 / 9	8	3.34	r	sp (sedge, <i>Carex</i> sp.; clarkia, <i>Clarkia</i> sp.; clover, <i>Trifolium</i> sp.)			
0.04	b 48	western lupine	<i>Lupinus formosus</i>	30 / 5	1	3.34	l 159	spreading fleabane	<i>Erigeron divergens</i>	3 / 1	6
0.04	b 49	~ California evening-primrose	<i>Oenothera californica</i> ssp. <i>californica</i>	5 / 1	2	3.34	l 160	bajada lupine	<i>Lupinus concinnus</i>	5 / 1	29
0.05	r 50	San Bernardino sun-cup?	<i>Camissonia confusa</i> ?	99 / 9		3.34	l	(Cleveland's horkelia, <i>Horkelia clevelandii</i> ; check for dwarf lupine, <i>Lupinus bicolor</i>)			
0.06	l 51	wild tarragon	<i>Artemisia dracunculus</i>	3 / 1	35	3.36		Trail turns right 90°			
0.06	l	? (unk rosette like <i>Rafinesquia</i> ; unk rosette like <i>Conyza</i>)				3.39	r 161	velvet ash	<i>Fraxinus velutina</i>	1 / 1	6
0.06	l	Sign with PCT Map and Memorial				3.40		Cross small drainage			
0.06	l	Check for different cryptantha				3.49		Cross small drainage			
0.06	r	(California bee plant, <i>Scrophularia californica</i> ssp. <i>floribunda</i>)				3.56	b 162	yarrow	<i>Achillea millefolium</i>	10 / 1	24
0.06	r 52	? vetch or sweet pea	<i>Vicia</i> or <i>Lathyrus</i> sp.	/		3.56	b 163	Mexican rush	<i>Juncus mexicanus</i>	30 / 2	29
0.06	r 53	purple nightshade	<i>Solanum xanti</i>	30 / 3	13	3.56	l	PCT marker			
0.08	l	(Patagonia plantain, <i>Plantago patagonica</i>)				3.56	l 164	California brome	<i>Bromus carinatus</i> var. <i>carinatus</i>	10 / 2	31
0.09	r	(oak mistletoe, <i>Phoradendron villosum</i>)				3.65	r	(An amazing rock cliff filled with rock ivesia, <i>Ivesia saxicola</i> .)			
0.09	l 54	muilla	<i>Muilla maritima</i>	/	14	3.65	r 165	ssp sticky cinquefoil	<i>Potentilla glandulosa</i>	1 / 1	
0.09	r 55	ssp hoary aster	<i>Machaeranthera asteroides</i>	20 / 8	1	3.65	r 166	? annual like Chinese houses, <i>Collinsia concolor</i>		10 / 1	
0.12	r 56	ssp squirreltail	<i>Elymus elymoides</i>	30 / 9	14						

0.52	l	85	sp	popcorn flower (sample)	<i>Cryptantha sp.</i>	/			1.09	r	110		Martin's paintbrush	<i>Castilleja applegatei ssp. martinii</i>	10 / 4	22
0.53	r			(narrowleaf goldenbush, <i>Ericameria linearifolia</i>)					1.09	r	111	sp	grass like Poa	<i>Poa sp.?</i>	10 / 3	
0.58	l		?	(jewelflower?, <i>Caulanthus sp.?</i>)					1.10				Trail turns right 90°			
0.59	r	86		Torrey's scrub oak	<i>Quercus acutidens</i>	20 / 9	30		1.17	l	112	sp	tansy mustard	<i>Descurainia sp.</i>	/	
0.59	l	87		perennial rock-cress	<i>Arabis perennans</i>	40 / 9	12		1.19	r			(<i>Artemisia ludoviciana?</i> - pix; <i>Chaenactis parishii?</i>)			
0.64	l	88		ponderosa pine	<i>Pinus ponderosa</i>	5 / 3	8		1.19				Trail turns left at dry drainage; local low point, elevation 4900 feet (1494 m)			
0.71				Switchback right					1.19	r	113		white-margined oxytheca	<i>Oxytheca emarginata</i>	20 / 3	3
0.77				Trail turns left 90° at drainage					1.20	r	114		Parry's green-gentian	<i>Swertia parryi</i>	15 / 4	3
0.77	r	89		bush senecio	<i>Senecio flaccidus var. douglasii</i>	2 / 1	11		1.20	r		sp	(milkweed, <i>Asclepias sp.</i>)			
0.79	r	90		ashy silk tassel	<i>Garrya flavescens</i>	50 / 9	9		1.26				Trail is lined with Parish's needlegrass, <i>Achnatherum parishii</i> , in a sea of even-aged chamise			
0.82	r	91	?	phacelia?	<i>Phacelia sp.?</i>	/			1.37	r	115		hollyleaf redberry	<i>Rhamnus ilicifolia</i>	25 / 9	50
0.83	r	92		interior live oak	<i>Quercus wislizeni var. frutescens</i>	50 / 9	16		1.39	r	116		Parry's nolina	<i>Nolina parryi</i>	5 / 5	4
0.84	l	93		Fremont's goosefoot	<i>Chenopodium fremontii</i>	20 / 5	15		1.40				Switchback left at minor drainage			
0.86				Switchback right					1.42	r	117		chaparral bush mallow?	<i>Malacothamnus fasciculatus?</i>	1 / 1	
0.87	r	94	?	unk annual	?	3 / 3			1.43	r	118	~	Laguna manzanita	<i>Arctostaphylos glandulosa ssp. adamsii</i>	4 / 2	4
0.89	b	95		flannelbush	<i>Fremontodendron californicum ssp. californicum</i>	6 / 1	7		1.46	r			Check if this <i>Camissonia</i> is the same as earlier			
0.89				Check for different <i>Camissonia</i>					1.47	b	119	sp	seashore bentgrass?	<i>Agrostis pallens?</i>	10 / 1	
0.89	r	96		California bee plant	<i>Scrophularia californica ssp. floribunda</i>	3 / 1	22		1.54	l	120		narrowleaf goldenbush	<i>Ericameria linearifolia</i>	10 / 9	9
0.89	r	97		basketbush	<i>Rhus trilobata</i>	3 / 3	29		1.61	r	121	~	Parish's chaenactis	<i>Chaenactis parishii</i>	30 / 7	2
0.90	l	98		blue dicks	<i>Dichelostemma capitatum ssp. capitatum</i>	99 / 7	52		1.67				Trail turns left at small drainage			
0.91	l			Check for "not <i>Lepidium</i> "					1.69	r	122		beady lipfern	<i>Cheilanthes covillei</i>	20 / 5	4
0.93				Arborescent interior live oak, <i>Quercus wislizeni</i> , and arborescent Torrey's scrub oak, <i>Q. acutidens</i>					1.69				Trail turns left at drainage			
0.95	l	99	?	leafy daisy?	<i>Erigeron sp.?</i>	20 / 1			1.69	r	123		woolly Indian paintbrush	<i>Castilleja foliolosa</i>	20 / 5	9
0.95	l	100		rosette like <i>Rafinesquia</i>	?	/			1.70	r	124		southern California silver-lotus	<i>Lotus argophyllus var. argophyllus</i>	5 / 5	5
0.97	r	101		San Jacinto Mtns. bedstraw	<i>Galium angustifolium ssp. jacinticum</i>	30 / 7	7		1.70	r	125		bird's-foot fern	<i>Pellaea mucronata var. mucronata</i>	30 / 9	36
0.98	r	102		branching phacelia	<i>Phacelia ramosissima var. ramosissima</i>	1 / 1	2		1.70	r	126		desert dudleya	<i>Dudleya saxosa ssp. aloides</i>	20 / 9	5
0.98	r	103		naked buckwheat	<i>Eriogonum nudum var. pauciflorum</i>	10 / 2	11		1.70	l	127		Wallace's woolly daisy	<i>Eriophyllum wallacei</i>	99 / 9	6
0.98	l	104	~	southern foothill penstemon	<i>Penstemon heterophyllus var. australis</i>	20 / 4	3		1.70	r	128	sp	spike-moss	<i>Selaginella sp.</i>	5 / 1	
0.99	l	105	sp	monardella	<i>Monardella sp.</i>	40 / 9			1.70	r	129		California filago	<i>Filago californica</i>	20 / 2	31
0.99	l	106		goldenrod	<i>Solidago californica</i>	30 / 4	55		1.70	l	130	?	Mediterranean schismus?	<i>Schismus barbatus?</i>	/	
1.00	l	107		beautiful hulsea	<i>Hulsea vestita ssp. callicarpa</i>	1 / 1	13		1.78				Cross small drainage			
1.01	r	108		coast live oak	<i>Quercus agrifolia var. agrifolia</i>	1 / 1	46		1.81				Cross small drainage			
1.01				Cross dry drainage					1.83				Cross small drainage			
1.03	r			(desert dudleya, <i>Dudleya saxosa ssp. aloides</i>)					1.86	r	131		Acton encelia	<i>Encelia actoni</i>	1 / 1	4
1.06	r			Cone from Coulter pine, <i>Pinus coulteri</i> , with no nearby tree					1.86	r			Check if this <i>Gilia</i> is the same species as earlier			
1.07	r	109		goldenstar	<i>Bloomeria crocea</i>	20 / 5	16		1.88	r	132		chia	<i>Salvia columbariae</i>	1 / 1	33
									1.94	r	133		wide-leaved rock goldenbush	<i>Ericameria cuneata var. spathulata</i>	50 / 9	2
									2.01	b	134		slender sunflower	<i>Helianthus gracilentus</i>	20 / 1	16
									2.05	r			(red brome, <i>Bromus madritensis ssp. rubens</i>)			
									2.05	r			Cross drainage			
									2.10	r			(threadstem, <i>Pterostegia drymarioides</i>)			