

3.24	l	117	~	woolly Indian paintbrush	<i>Castilleja foliolosa</i>	1 / 1	10
3.29				Switchback right			
3.35				Switchback left			
3.41				Switchback right			
3.48				Cross drainage of Alkali Wash; elevation ~4540 feet (1384 m)			
3.54	r			Dense patch of larkspur, <i>Delphinium sp.</i>			
3.66				Cross second branch of Alkali Wash; elevation 4600 feet (1402 m)			
3.97	r	118		granite prickly phlox	<i>Leptodactylon pungens</i>	1 / 1	17
3.97				Cross third branch of Alkali Wash; elevation 4680 feet (1426 m)			
4.13				Switchback right on slope of Table Mountain; elevation 4760 feet (1451 m)			
4.13				End plant trail guide			
4.57				Jct. Table Mountain Road; elevation ~4900 feet (1494 m)			

http://tchester.org/sb/plants/guides/PCT_s_SR74.html
Updated 13 May 2009

Plant Guide to Pacific Crest Trail South of SR74, San Jacinto Mountains - Garner Valley Area

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00		1		Begin trail on south side of parking lot after passing through gate, elevation 4919 feet (1499 m)			
0.00				(L: mountain sagebrush, <i>Artemisia tridentata ssp. vaseyana</i> ; B: Palmer's oak, <i>Quercus palmeri</i> ; R: blue elderberry, <i>Sambucus mexicana</i>)			
0.00	b	2		*shortpod mustard	<i>Hirschfeldia incana</i>	50 / 3	57
0.00	l	3	sp	popcorn flower	<i>Cryptantha sp.</i>		/
0.00	b	4		*foxtail barley	<i>Hordeum murinum</i>	10 / 1	11
0.00	l	5		*downy brome	<i>Bromus tectorum</i>	99 / 9	36
0.00	l	6	~	wild pepper-grass	<i>Lepidium virginicum var. pubescens</i>	30 / 5	10
0.00	l	7		desert globemallow	<i>Sphaeralcea ambigua var. rugosa</i>	20 / 9	7
0.00	b	8		sticky lessingia	<i>Lessingia glandulifera var. glandulifera</i>	50 / 5	5
0.00	b	9		California-aster	<i>Lessingia filaginifolia var. filaginifolia</i>	50 / 9	67
0.00	l	10		Davidson's buckwheat	<i>Eriogonum davidsonii</i>	99 / 9	24
0.00	l			Sign: "PCT; Table Mountain Road 4.5 mi; Terwilliger Valley 10 mi; Coyote Canyon Road 11 mi; Indian Flat Campground 31 mi"			
0.00	l		ssp	(hoary aster, <i>Machaeranthera asteroides</i>)			
0.00	r	11		sapphire woolly-star	<i>Eriastrum sapphirinum</i>	30 / 3	11
0.00	l	12		slender wreathplant	<i>Stephanomeria exigua ssp. deanei</i>	30 / 9	21
0.00	l	13		creeping wild rye	<i>Leymus triticoides</i>	30 / 3	5
0.00	l			(matchweed, <i>Gutierrezia sarothrae</i>)			
0.00	l	14	sp	suncup with ascending stem and dense fruit	<i>Camissonia sp.</i>	5 / 2	
0.00	r	15	~	*redstem filaree	<i>Erodium cicutarium</i>	10 / 1	69
0.00	l		~	(California evening-primrose, <i>Oenothera californica ssp. californica</i>)			
0.00	r			(cotton-thorn, <i>Tetradymia comosa</i>)			
0.00	b	16		*Oriental mustard	<i>Sisymbrium orientale</i>	30 / 9	19

0.01	r	17	mountain sagebrush	<i>Artemisia tridentata ssp. vaseyana</i>	10 / 3	12	1.33	r	107	narrowleaf monardella	<i>Monardella linoides ssp. linoides</i>	1 / 1	3	
0.01	l	18	matchweed	<i>Gutierrezia sarothrae</i>	30 / 9	21	1.37			Cross small drainage				
0.02	l	19	Wright's buckwheat	<i>Eriogonum wrightii var. membranaceum</i>	10 / 3	13	1.46	l		(woolly Indian paintbrush, <i>Castilleja foliolosa</i>)				
			Look for June grass, <i>Koeleria macrantha</i>				1.47			Cross second branch of Hamilton Creek; elevation 4880 feet (1487 m); enter flat area				
0.03			Cross wide drainage of upper Garner Valley Creek				1.47	r	108	sacred datura	<i>Datura wrightii</i>	5 / 2	25	
0.05	b	20	Palmer's oak	<i>Quercus palmeri</i>	10 / 2	2	1.48	l	109	sp	larkspur	<i>Delphinium sp.</i>	20 / 5	
0.05	r		(Mexican manzanita, <i>Arctostaphylos pungens</i>)				1.57	b		Check for different annual phacelia				
0.06	l		(phlox-leaved bedstraw, <i>Galium andrewsii ssp. andrewsii</i> ; southern honeysuckle, <i>Lonicera subspicata var. denudata</i>)				1.59	l	110	purple three-awn	<i>Aristida purpurea var. purpurea</i>	5 / 1	3	
0.06	r	21	bajada lupine	<i>Lupinus concinnus</i>	10 / 9	22	1.69			Cross very small drainage				
0.06	b		(oak mistletoe, <i>Phoradendron villosum</i>)				1.74			Switchback left at small ridge; elevation 4800 feet (1463 m)				
0.06	l		(chaparral bush mallow, <i>Malacothamnus fasciculatus</i>)				1.82			Viewpoint on lip of drainage to Coyote Creek (L); trail now parallels third branch of Hamilton Creek (R)				
0.07	r		(threadleaf common rabbitbrush, <i>Chrysothamnus nauseosus ssp. consimilis</i>)				1.85	b	111	southern mountain woolly-star	<i>Eriastrum densifolium ssp. austromontanum</i>	10 / 2	19	
0.08	r		(cupped-leaf ceanothus, <i>Ceanothus greggii var. perplexans</i>)				1.91	l	112	twiggy wreath plant	<i>Stephanomeria virgata</i>	10 / 3	8	
0.08	l	22	white mugwort	<i>Artemisia ludoviciana ssp. albula</i>	20 / 5	11	1.91			Second viewpoint in drainage to Coyote Creek				
0.09	l		(red shanks, <i>Adenostoma sparsifolium</i>)				1.99			Third viewpoint in drainage to Coyote Creek; next 4 viewpoints not noted in guide				
0.09	l	23	California buckwheat	<i>Eriogonum fasciculatum var. polifolium</i>	50 / 9	31	2.55			Eighth and last viewpoint in drainage to Coyote Creek				
0.09	r	24	southern honeysuckle	<i>Lonicera subspicata var. denudata</i>	50 / 9	51	2.60	r	113	~	California broomrape	<i>Orobanche californica ssp. feudgei</i>	1 / 1	3
0.09	r	25	oak mistletoe	<i>Phoradendron villosum</i>	2 / 2	15	2.65	l		Jct. 4WD trail to 4721 foot peak shown on topo map, but there is no evidence of it now here or at its western junction at mile 2.98				
0.09	r		(coast live oak, <i>Quercus agrifolia var. agrifolia</i>)				2.94	l	114	?	dead annual grass like native <i>Vulpia</i>	?	10 / 1	
0.10	l	26	birch-leaf mountain-mahogany	<i>Cercocarpus betuloides var. betuloides</i>	40 / 9	30	3.03	r	115	beavertail cactus	<i>Opuntia basilaris var. basilaris</i>	10 / 9	24	
0.10	r		(interior live oak, <i>Quercus wislizeni var. frutescens</i>)				3.05			Begin descent into Alkali Wash; elevation 4800 feet (1463 m)				
0.10	l		(closer Mexican manzanita, <i>Arctostaphylos pungens</i>)				3.19			Switchback right				
0.11	b	27	bristly bird's beak	<i>Cordylanthus rigidus ssp. setigerus</i>	50 / 9	40	3.21	b	116	~	papillate dodder	<i>Cuscuta californica var. papillosa</i>	5 / 2	8
0.12	l		(Vasey's prickly-pear, <i>Opuntia vaseyi</i>)				3.24			Switchback left				
0.12	r	28	interior live oak	<i>Quercus wislizeni var. frutescens</i>	20 / 5	19								

0.83	b	87	giant needlegrass	<i>Achnatherum coronatum</i>	30 / 9	25	0.13	r		(ashy silk tassel, <i>Garrya flavescens</i>)			
0.91			Cross bigger old overgrown road; elevation 5000 feet (1524 m)					0.13	r	29	cupped-leaf ceanothus	<i>Ceanothus greggii</i> var. <i>perplexans</i>	40 / 9 14
0.95	l	88	sp like wild Canterbury bells	<i>Phacelia like minor</i>	40 / 9		0.13	r	30	~ Parish's needlegrass	<i>Achnatherum parishii</i>	30 / 9 14	
0.96	l	89	bird's-foot fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	10 / 5	38	0.14	r	31	Torrey's scrub oak	<i>Quercus acutidens</i>	50 / 9 32	
0.98	r	90	~ perennial rock-cress	<i>Arabis perennans</i>	10 / 3	10	0.14	l	32	San Diego pea	<i>Lathyrus vestitus</i> var. <i>alefeldii</i>	1 / 1 28	
1.02	l	91	chia	<i>Salvia columbariae</i>	50 / 9	35	0.14	r	33	Mohave yucca	<i>Yucca schidigera</i>	10 / 9 15	
1.03	l		(silver puffs, <i>Uropappus lindleyi</i>)					0.16	r	34	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	10 / 5 48
1.05	r	92	~ dwarf lupine	<i>Lupinus bicolor</i>	2 / 1	33	0.16			Trail turns right 90°; now on north side of Lookout Mountain			
1.05	r	93	? ann scroph in fruit	<i>Antirrhinum coulterianum?</i>	10 / 9		0.16	r	35	bur-ragweed	<i>Ambrosia acanthicarpa</i>	5 / 1 24	
1.10	r	94	white sage	<i>Salvia apiana</i>	30 / 7	44	0.16	b	36	ashy silk tassel	<i>Garrya flavescens</i>	20 / 9 12	
1.12	l	95	whispering bells	<i>Emmenanthe penduliflora</i> var. <i>penduliflora</i>	1 / 1	17	0.17	r	37	ssp San Jacinto Mtns. bedstraw	<i>Galium angustifolium</i> ssp. <i>jacinticum</i>	20 / 9 8	
1.12			Cross first branch of Hamilton Creek					0.17	l	38	~ giant four o'clock	<i>Mirabilis multiflora</i> var. <i>pubescens</i>	10 / 6 7
1.12	l	96	sp monardella	<i>Monardella (nana?)</i>	5 / 1		0.17	l		(pink-bracted manzanita, <i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i>)			
1.17	r	97	~ scarlet bugler	<i>Penstemon centranthifolius</i>	20 / 5	15	0.18	l	39	whorledleaf penstemon	<i>Keckiella ternata</i> var. <i>ternata</i>	30 / 9 12	
1.19	b	98	~ three-lobed oxytheca	<i>Oxytheca trilobata</i>	20 / 5	5	0.18	b	40	Mojave prickly-pear	<i>Opuntia erinacea</i> var. <i>erinacea</i>	20 / 9 7	
1.22			Enter large patch of bigberry manzanita, <i>Arctostaphylos glauca</i>					0.18	l	41	~ coast-range melic	<i>Melica imperfecta</i>	20 / 9 46
1.22			Cross small drainage					0.18	l	42	~ California elegant rock-cress	<i>Arabis sparsiflora</i> var. <i>californica</i>	50 / 9 4
1.23			Switchback left at ridge					0.18	l	43	hollyleaf cherry	<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	5 / 5 19
1.26	r	99	cane cholla	<i>Opuntia parryi</i>	10 / 9	4	0.19	r	44	~ caterpillar phacelia	<i>Phacelia cicutaria</i> var. <i>hispida</i>	20 / 5 19	
1.27	b	100	Parry pinyon pine	<i>Pinus quadrifolia</i>⁺	5 / 2	2	0.19	b	45	basketbush	<i>Rhus trilobata</i>	5 / 2 31	
1.28	b	101	California suncup	<i>Camissonia californica</i>	20 / 5	34	0.19	l		? (ann scroph in fruit, <i>Antirrhinum coulterianum?</i> ; ann with 3 lobed lower leaves, <i>Allophyllum?</i>)			
1.30	b	102	Acton encelia	<i>Encelia actoni</i>	30 / 5	5	0.20	l	46	southern tauschia	<i>Tauschia arguta</i>	30 / 9 12	
1.30	b	103	southern California silver-lotus	<i>Lotus argophyllus</i> var. <i>argophyllus</i>	20 / 5	6	0.20	l	47	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	99 / 9 70	
1.31	b	104	thick-leaved yerba santa	<i>Eriodictyon crassifolium</i> var. <i>crassifolium</i>	10 / 1	15				Check for western wallflower, <i>Erysimum capitatum</i> ssp. <i>capitatum</i>			
1.33	l	105	mountain grape-soda lupine	<i>Lupinus excubitus</i> var. <i>austromontanus</i>	3 / 1	11							
1.33	l	106	phlox-leaved bedstraw	<i>Galium andrewsii</i> ssp. <i>andrewsii</i>	1 / 1	10							

0.20	l	48	pink-bracted manzanita	<i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i>	2 / 2	13	0.53	r	(hollyleaf redberry, <i>Rhamnus ilicifolia</i>)				
0.22	l	49	red shanks	<i>Adenostoma sparsifolium</i>	99 / 9	8	0.54	l	70	goldback fern	<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	1 / 1	28
0.22	r	50	? ann with 3 lobed lower leaves	<i>Allophyllum?</i>	50 / 3		0.54	l		(branching phacelia, <i>Phacelia ramosissima</i> var. <i>ramosissima</i>)			
0.23	b	51	chamise	<i>Adenostoma fasciculatum</i>	99 / 9	45	0.54	r		(dead chaparral yucca, <i>Yucca whipplei</i>)			
0.24	l	52	Vasey's prickly-pear	<i>Opuntia vaseyi</i>	10 / 9	31	0.54	l	71	cotton-thorn	<i>Tetradymia comosa</i>	5 / 1	1
0.24	l	53	sp gilia	<i>Gilia</i> sp.	50 / 9		0.55	l	72	fragrant everlasting	<i>Gnaphalium canescens</i> ssp. <i>beneolens</i>	1 / 1	29
0.25	l	54	~ Fremont's goosefoot	<i>Chenopodium fremontii</i>	20 / 4	18	0.56	l	73	narrowleaf goldenbush	<i>Ericameria linearifolia</i>	20 / 9	10
0.28	l	55	California bee plant	<i>Scrophularia californica</i> ssp. <i>floribunda</i>	2 / 2	23	0.56	r	74	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	10 / 5	53
0.30	r	56	ssp western tansy-mustard	<i>Descurainia pinnata</i>	30 / 9	4	0.58	r	75	~ Laguna manzanita	<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i>	5 / 2	6
0.34	l		sp (Veatch's(?) blazing star, <i>Mentzelia (veatchiana?)</i>)				0.59	r	76	purple head	<i>Acourtia microcephala</i>	1 / 1	20
0.36	l	57	sp erect suncup	<i>Camissonia</i> sp.	20 / 5		0.60	r	77	bigberry manzanita	<i>Arctostaphylos glauca</i>	30 / 9	14
0.37	l		(Laguna manzanita, <i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i>)				0.61	l	78	sugar bush	<i>Rhus ovata</i>	2 / 2	32
0.39	b	58	sp Veatch's blazing star	<i>Mentzelia veatchiana</i>	30 / 3	3	0.63	l	79	chaparral yucca	<i>Yucca whipplei</i>	20 / 9	40
0.41			Local high point on trail at east-west ridge near a saddle; elevation 5040 feet (1536 m); cross to southwest side of Lookout Mountain				0.65			Cross drainage			
0.41	r	59	*red brome	<i>Bromus madritensis</i> ssp. <i>rubens</i>	20 / 3	67	0.66	r		(Parry pinyon pine, <i>Pinus quadrifolia</i>)			
0.42	l	60	sp Mariposa lily	<i>Calochortus</i> sp.	20 / 9		0.67			Switchback left			
0.42	l	61	Parish's bluecurls	<i>Trichostema parishii</i>	3 / 3	6	0.68	l	80	? ann with whorled flowers like Chinese houses	<i>Collinsia concolor?</i>	5 / 1	
0.43	l	62	? tall pincushion?	<i>Chaenactis</i> sp.?	10 / 3		0.68	l		touchable oak mistletoe, <i>Phoradendron villosum</i>			
0.43	l	63	~ showy penstemon	<i>Penstemon spectabilis</i> var. <i>spectabilis</i>	2 / 2	14	0.77	l	81	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	40 / 9	53
0.46	l	64	Parry's nolina	<i>Nolina parryi</i>	10 / 9	6	0.77	l		(larkspur, <i>Delphinium</i> sp.)			
0.48	l	65	sp honking popcorn flower	<i>Cryptantha</i> sp.	20 / 5		0.78	l	82	sp goldenstar or muilla	<i>Bloomeria crocea</i> or <i>Muilla maritima</i>	10 / 2	
0.48	l	66	spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	10 / 9	21	0.78	r	83	sp taller gilia	<i>Gilia</i> sp.	5 / 1	
0.51	r		(narrowleaf goldenbush, <i>Ericameria linearifolia</i>)				0.78	l	84	short-winged deerweed	<i>Lotus scoparius</i> var. <i>brevialatus</i>	50 / 9	26
0.52	l	67	purple nightshade	<i>Solanum xanti</i>	10 / 3	15	0.80	l	85	desert needlegrass	<i>Achnatherum speciosum</i>	20 / 9	6
0.52	r	68	~ California thistle	<i>Cirsium occidentale</i> var. <i>californicum</i>	3 / 2	20	0.80			Cross old road, now very overgrown			
0.53	l	69	beady lipfern	<i>Cheilanthes covillei</i>	10 / 2	6	0.80	r	86	*ripgut brome	<i>Bromus diandrus</i>	30 / 5	58
							0.82	r		(prickly lettuce, <i>Lactuca serriola</i>)			