

## Plant Guide to Ernie Maxwell Scenic Trail, San Jacinto Mountains

Mile	S	#	id?	FAM	Common Name	Latin Name	#here	#all
0.00	r				Beginning of trail at Ernie Maxwell sign; 6400 feet (1951 m) elevation.			
0.00	l				(VIS incense-cedar mistletoe, <i>Phoradendron libocedri</i> )			
0.00	r	1		CUP	incense-cedar	<i>Calocedrus decurrens</i>	99 / 9	24
0.00	r	2		PIN	ponderosa pine	<i>Pinus ponderosa</i>	50 / 9	9
0.00	r				(ERI snow-plant, <i>Sarcodes sanguinea</i> )			
0.00	l	3		FAG	California black oak	<i>Quercus kelloggii</i>	99 / 9	19
0.00	r				(FAB Sierra Nevada lotus, <i>Lotus nevadensis</i> var. <i>nevadensis</i> )			
0.01	l				Jct. shortcut use trail from south end of parking area			
0.01	l				(CUP white fir, <i>Abies concolor</i> )			
0.01	r				(FAG canyon live oak, <i>Quercus chrysolepis</i> )			
0.02	r				(SCR bristly bird's beak, <i>Cordylanthus rigidus</i> ssp. <i>setigerus</i> )			
0.02	r	4		FAB	Sierra Nevada lotus	<i>Lotus nevadensis</i> var. <i>nevadensis</i>	40 / 9	13
0.02	r				Jct. use trail to road			
0.02	r				(FAB broad-leaved lotus, <i>Lotus crassifolius</i> var. <i>crassifolius</i> )			
0.02	b	5		PIN	white fir	<i>Abies concolor</i>	30 / 9	36
0.03	r				(VIS fir mistletoe, <i>Phoradendron pauciflorum</i> ; PIN sugar pine, <i>Pinus lambertiana</i> )			
0.04	l	6		FAG	canyon live oak	<i>Quercus chrysolepis</i>	99 / 9	39
0.05	l				Jct. another shortcut use trail from south end of parking area			
0.06	r	7		ERI	western azalea	<i>Rhododendron occidentale</i>	10 / 2	10
0.06	l				(ERI pinedrops, <i>Pterospora andromedea</i> )			
0.06	r	8		GRO	mountain pink currant	<i>Ribes nevadense</i>	30 / 5	15
0.06	b				(ROS thimbleberry, <i>Rubus parviflorus</i> )			
0.07	b	9		BET	white alder	<i>Alnus rhombifolia</i>	3 / 2	13
0.07					Cross moist creek, the drainage from most of the area south of Saddle Junction and north of Lily Rock / Tahquitz Peak			
0.07	r	10		ROS	thimbleberry	<i>Rubus parviflorus</i>	20 / 2	8
0.07	l	11		PIN	sugar pine	<i>Pinus lambertiana</i>	40 / 9	24





0.42	1	43	AST	white hawkweed	<i>Hieracium albiflorum</i>	10 / 2	3	0.81	1	58	VIS	pine dwarf-mistletoe	<i>Arceuthobium campylopodum</i>	1 / 1	6
0.43	1	44	AST	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	99 / 9	71	0.81	1	59	POL	white-margined oxytheca	<i>Oxytheca emarginata</i>	10 / 2	6
0.43	1	45	SCR	Martin's paintbrush	<i>Castilleja applegatei</i> ssp. <i>martinii</i>	30 / 9	25	0.83	1			(CAP southern honeysuckle, <i>Lonicera subspicata</i> var. <i>denudata</i> )			
0.44	1	46	AST	slender everlasting	<i>Gnaphalium canescens</i> ssp. <i>thermale</i>	3 / 3	10	0.84	b	60	BRA	beautiful rock-cress	<i>Arabis pulchra</i>	20 / 5	3
0.45	1	47	FAB	strigose lotus	<i>Lotus strigosus</i>	20 / 4	51	0.84	r	61	CAP	southern honeysuckle	<i>Lonicera subspicata</i> var. <i>denudata</i>	2 / 2	52
0.46	1	48	sp	ONAs groundsmoke?	<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i> ?	2 / 1		0.85	1	62	POL	whisker-brush	<i>Linanthus ciliatus</i>	99 / 9	8
0.47				Cross small drainage				0.93	1	63	FAB	broad-leaved lotus	<i>Lotus crassifolius</i> var. <i>crassifolius</i>	10 / 2	12
0.48	1	49	RUB	narrowleaf bedstraw	<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	30 / 9	56	0.97				Switchback left at ridge; elevation ~6100 feet (1859 m)			
0.48	1	50	FAB	bajada lupine	<i>Lupinus concinnus</i>	10 / 3	28	0.99				Cross moist drainage from Tahquitz Peak			
0.48	1	51	POL	southern mountain woolly-star	<i>Eriastrum densifolium</i> ssp. <i>austromontanum</i>	30 / 5	19	0.99	1			(RAN western columbine, <i>Aquilegia formosa</i> )			
0.48	r	52	ERI	snow-plant	<i>Sarcodes sanguinea</i>	1 / 1	13	1.01	1	64	ERI	little prince's pine	<i>Chimaphila menziesii</i>	3 / 2	9
0.50	1	53	ONAs	mountain California-fuchsia	<i>Epilobium canum</i> ssp. <i>latifolium</i>	40 / 5	18	1.04	b	65	APO	spreading dogbane	<i>Apocynum androsaemifolium</i>	20 / 2	6
0.60				Cross dry drainage from southwest side of Lily Rock				1.06				Trail levels off; elevation ~6080 feet (1853 m)			
0.65				Trail begins to descend more steeply; elevation ~6300 feet (1920 m)				1.15	r	66	BOR	pine cryptantha	<i>Cryptantha simulans</i>	50 / 9	3
0.67	r			Jct. trail probably leading to road just below; stay left				1.18	1	67	LIL	blue dicks	<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	20 / 4	55
0.71				Enter forest of oak mistletoe, <i>Phoradendron villosum</i> , for 0.01 miles				1.19				Cross dry drainage			
0.72	1			(AST San Bernardino rubber rabbitbrush, <i>Chrysothamnus nauseosus</i> ssp. <i>bernardinus</i> )				1.21	1	68	POL	annual phlox	<i>Phlox gracilis</i>	30 / 4	3
0.73				Leave dense continuous forest; forest now interspersed with sunny open areas				1.21	1	69	ONAs	diamond-petaled clarkia	<i>Clarkia rhomboidea</i>	99 / 9	7
0.76	1			Check if these plants are a different sedge, <i>Carex</i> sp., or if they are <i>Elymus elymoides</i>				1.21	r	70	POAs	Orcutt's brome	<i>Bromus orcuttianus</i>	5 / 2	7
0.77	b	54	FAG	interior live oak	<i>Quercus wislizeni</i> var. <i>frutescens</i>	30 / 5	19	1.22	1	71	POR	green miner's lettuce	<i>Claytonia parviflora</i> ssp. <i>viridis</i>	10 / 2	4
0.79	1	55	POAs	*downy brome	<i>Bromus tectorum</i>	50 / 9	36	1.23	1	72	POR	southern miner's lettuce	<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	30 / 5	30
0.79	1	56	BOR	prickly cryptantha	<i>Cryptantha muricata</i>	20 / 9	18	1.24	r			(SAX woodland star, <i>Lithophragma affine</i> )			
0.81	b	57	POAs	small fescue	<a href="#">Vulpia microstachys</a> <sup>±</sup>	20 / 3	3	1.25	1			field of plain mariposa lily, <i>Calochortus invenustus</i>			
								1.25	1	73	AST	spear-leaved mountain dandelion	<i>Agoseris retrorsa</i>	20 / 9	21
								1.26	b	74	LIL	*garden daffodil	<i>Narcissus</i> sp.	20 / 1	