

## Plant Guide to Round Valley Loop Trail, San Jacinto Mountains

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin guide at Willow Creek Trail jct. with Round Valley Trail 0.12 miles west of Ranger Station; elevation 8400 feet (2560 m); go left on Willow Creek Trail. Sign: "[left] Willow Creek 3.7 mi; Skunk Cabbage Meadow 5 mi; Idyllwild 10.5 mi; [ahead] Long Valley; Round Valley 2 mi; Saddle Junction 5.5 mi; [back] Tramway 0.3 mi"			
0.00	r			(sugar pine, <i>Pinus lambertiana</i> )			
0.00	r	1		Parish's snowberry	<i>Symphoricarpos rotundifolius</i> <i>var. parishii</i>	99 / 9	18
0.00	l			(white fir, <i>Abies concolor</i> ; Jeffrey pine, <i>Pinus jeffreyi</i> ; San Jacinto Mts. Keckiella, <i>Keckiella rothrockii</i> <i>var. jacintensis</i> )			
0.00	r			(San Bernardino rubber rabbitbrush, <i>Chrysothamnus nauseosus</i> <i>ssp. bernardinus</i> )			
0.01	r	2	?	needlegrass?	<i>Achnatherum</i> <i>sp.?</i>	20 / 2	
0.01	b	3		white fir	<i>Abies concolor</i>	99 / 9	32
0.01	l			(mountain spray, <i>Holodiscus microphyllus</i> <i>var. microphyllus</i> )			
0.01	r	4		Jeffrey pine	<i>Pinus jeffreyi</i>	50 / 9	34
0.02	l	5		granite prickly phlox	<i>Leptodactylon pungens</i>	2 / 2	15
0.02	l	6		mountain California-fuchsia	<i>Epilobium canum</i> <i>ssp. latifolium</i>	10 / 1	13
0.03	r	7		mountain spray	<i>Holodiscus microphyllus</i> <i>var. microphyllus</i>	2 / 1	13
0.03	l	8		wax currant	<i>Ribes cereum</i> <i>var. cereum</i>	1 / 1	21
0.04	l	9		San Bernardino rubber rabbitbrush	<i>Chrysothamnus nauseosus</i> <i>ssp. bernardinus</i>	20 / 5	28
0.04	r	10		Scouler's willow	<i>Salix scouleriana</i>	2 / 1	11
0.04				Cross small drainage			
0.07	r	11		San Jacinto Mts. keckiella	<i>Keckiella rothrockii</i> <i>var. jacintensis</i>	99 / 9	12
0.08	b	12	sp	sedge	<i>Carex like fracta</i>	20 / 3	
0.08				Cross north fork of Long Valley Creek, coming from Round and Tamarack Valleys			
0.08	b	13		Idaho bentgrass	<i>Agrostis idahoensis</i>	10 / 1	11

0.08	b	14	Nevada cinquefoil	<i>Potentilla glandulosa ssp. nevadensis</i>	2 / 1	4	1.81	High point on route, elevation ~8980 feet (2737 m)	
0.08	l		(Fendler's meadow-rue, <i>Thalictrum fendleri</i> var. <i>fendleri</i> )				1.96	Jct. low Round Valley Trail; end guide; go right to return to Tram Station	
0.09	l	15	wild tarragon	<i>Artemisia dracunculus</i>	40 / 9	32	3.47	Ranger Station	
0.14	r	16	Parish's bedstraw	<i>Galium parishii</i>	1 / 1	14		Option to continue to Hidden Divide from mile 0.83:	
0.14	r		Sign: "Permit required"					Jct. high Round Valley Trail; continue ahead to go to Hidden Divide; local high point, elevation ~8760 feet (2670 m)	
0.15			Switchback right; no further switchbacks recorded				0.83	r	
0.17	b	17	San Jacinto lupine	<i>Lupinus hyacinthinus</i>	50 / 9	13	0.90	l 26	mountain whitethorn <i>Ceanothus cordulatus</i> 1 / 1 24
0.22	b	18	lodgepole pine	<i>Pinus contorta ssp. murrayana</i>	99 / 9	15	0.94	l	(curl-leaf mountain-mahogany, <i>Cercocarpus ledifolius</i> )
0.22	b	19	sugar pine	<i>Pinus lambertiana</i>	20 / 9	22	1.02		Local low point, elevation ~8700 feet (2652 m)
0.28	r	20	bush chinquapin	<i>Chrysolepis sempervirens</i>	10 / 4	17	1.12		Hidden Divide. No views from here, but can see Red Tahquitz Peak just past the saddle; return to high Round Valley Trail to follow rest of guide
0.48			Trail enters large flattish area extending for 1/4 mile				1.41		Jct. high Round Valley Trail; go left to follow rest of guide from mile 0.83 above
0.53	l		(green-leaf manzanita, <i>Arctostaphylos patula</i> )						
0.53	l	21	? unk per like paintbrush or catchfly	<i>Castilleja</i> or <i>Silene?</i>	1 / 1				<i>Mile:</i> 0.00 includes all mileages from 0.000 to 0.009; etc.
0.53	l	22	sp mystery sedge	<i>Carex sp.</i>	10 / 5				<i>S:</i> Side of trail on which the first occurrence is found: left, right, both, or center
0.53	l		(mountain whitethorn, <i>Ceanothus cordulatus</i> )						<i>#:</i> On-Trail species are numbered in order of first occurrence on trail (touchable without leaving the trail). Off-trail species are in parentheses.
0.61			Cross small drainage						<i>id?:</i> Species without an entry in this column are positively identified. "?" means we are just guessing the identification; "sp" means the genera is probably known, but the species name is uncertain; "~" means we have 95% confidence that this is the determination, but have not yet positively identified it; "ssp" means the subspecies or variety needs to be determined.
0.65	r	23	western wallflower	<i>Erysimum capitatum ssp. capitatum</i>	10 / 2	29			<i>#here</i> gives the <i>minimum</i> number of on-trail plants of this species on this trail, with the number of locations on this trail following the /, using maximum values of 99/9. 1/1 means a single plant in a single location; 10/9 means 10 plants occurring in at least 9 locations, etc.
0.66			(CHECK!) Cross western branch of south branch of Long Valley Creek						<i>#all</i> gives the number of plant trail guides, from all over southern California, that contain this taxon.
0.83	r		Jct. high Round Valley Trail; go right (see end of guide for option to go to Hidden Divide first). Sign: "[ahead] Willow Creek 2.7 mi; Saddle Junction 4.8 mi; Humber Park 6.8 mi; [back] Long Valley 1 mi; Tram 1.3 mi; [right] Round Valley 2 mi; San Jacinto Peak 5.5 mi"						<a href="http://tchester.org/sb/plants/guides/round_valley_loop.html">http://tchester.org/sb/plants/guides/round_valley_loop.html</a> Updated 29 August 2007.
1.13			(CHECK!) Cross same western branch of south branch of Long Valley Creek at higher elevation						
1.40	r	24	sp pinegrove groundsmoke or groundsmoke	<i>Gayophytum diffusum ssp. parviflorum</i> or <i>G. oligospermum</i>	20 / 2				
1.45	l	25	pine lousewort	<i>Pedicularis semibarbata</i>	1 / 1	16			
1.52			Now in another flattish area, the higher elevation extension of the previous flattish area						
1.78	l		Check for different annual						

## Plant Guide to Round Valley Loop Trail, San Jacinto Mountains

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin guide at Willow Creek Trail jct. with Round Valley Trail 0.12 miles west of Ranger Station; elevation 8400 feet (2560 m); go left on Willow Creek Trail. Sign: "[left] Willow Creek 3.7 mi; Skunk Cabbage Meadow 5 mi; Idyllwild 10.5 mi; [ahead] Long Valley; Round Valley 2 mi; Saddle Junction 5.5 mi; [back] Tramway 0.3 mi"			
0.00	r			(sugar pine, <i>Pinus lambertiana</i> )			
0.00	r	1		Parish's snowberry	<i>Symphoricarpos rotundifolius</i> <i>var. parishii</i>	99 / 9	18
0.00	l			(white fir, <i>Abies concolor</i> ; Jeffrey pine, <i>Pinus jeffreyi</i> ; San Jacinto Mts. Keckiella, <i>Keckiella rothrockii</i> <i>var. jacintensis</i> )			
0.00	r			(San Bernardino rubber rabbitbrush, <i>Chrysothamnus nauseosus</i> <i>ssp. bernardinus</i> )			
0.01	r	2	?	needlegrass?	<i>Achnatherum</i> <i>sp.?</i>	20 / 2	
0.01	b	3		white fir	<i>Abies concolor</i>	99 / 9	32
0.01	l			(mountain spray, <i>Holodiscus microphyllus</i> <i>var. microphyllus</i> )			
0.01	r	4		Jeffrey pine	<i>Pinus jeffreyi</i>	50 / 9	34
0.02	l	5		granite prickly phlox	<i>Leptodactylon pungens</i>	2 / 2	15
0.02	l	6		mountain California-fuchsia	<i>Epilobium canum</i> <i>ssp. latifolium</i>	10 / 1	13
0.03	r	7		mountain spray	<i>Holodiscus microphyllus</i> <i>var. microphyllus</i>	2 / 1	13
0.03	l	8		wax currant	<i>Ribes cereum</i> <i>var. cereum</i>	1 / 1	21
0.04	l	9		San Bernardino rubber rabbitbrush	<i>Chrysothamnus nauseosus</i> <i>ssp. bernardinus</i>	20 / 5	28
0.04	r	10		Scouler's willow	<i>Salix scouleriana</i>	2 / 1	11
0.04				Cross small drainage			
0.07	r	11		San Jacinto Mts. keckiella	<i>Keckiella rothrockii</i> <i>var. jacintensis</i>	99 / 9	12
0.08	b	12	sp	sedge	<i>Carex like fracta</i>	20 / 3	
0.08				Cross north fork of Long Valley Creek, coming from Round and Tamarack Valleys			
0.08	b	13		Idaho bentgrass	<i>Agrostis idahoensis</i>	10 / 1	11

0.08	b	14	Nevada cinquefoil	<i>Potentilla glandulosa ssp. nevadensis</i>	2 / 1	4	1.81	High point on route, elevation ~8980 feet (2737 m)	
0.08	l		(Fendler's meadow-rue, <i>Thalictrum fendleri</i> var. <i>fendleri</i> )				1.96	Jct. low Round Valley Trail; end guide; go right to return to Tram Station	
0.09	l	15	wild tarragon	<i>Artemisia dracunculus</i>	40 / 9	32	3.47	Ranger Station	
0.14	r	16	Parish's bedstraw	<i>Galium parishii</i>	1 / 1	14		Option to continue to Hidden Divide from mile 0.83:	
0.14	r		Sign: "Permit required"					Jct. high Round Valley Trail; continue ahead to go to Hidden Divide; local high point, elevation ~8760 feet (2670 m)	
0.15			Switchback right; no further switchbacks recorded				0.83	r	
0.17	b	17	San Jacinto lupine	<i>Lupinus hyacinthinus</i>	50 / 9	13	0.90	l 26	mountain whitethorn <i>Ceanothus cordulatus</i> 1 / 1 24
0.22	b	18	lodgepole pine	<i>Pinus contorta ssp. murrayana</i>	99 / 9	15	0.94	l	(curl-leaf mountain-mahogany, <i>Cercocarpus ledifolius</i> )
0.22	b	19	sugar pine	<i>Pinus lambertiana</i>	20 / 9	22	1.02		Local low point, elevation ~8700 feet (2652 m)
0.28	r	20	bush chinquapin	<i>Chrysolepis sempervirens</i>	10 / 4	17	1.12		Hidden Divide. No views from here, but can see Red Tahquitz Peak just past the saddle; return to high Round Valley Trail to follow rest of guide
0.48			Trail enters large flattish area extending for 1/4 mile				1.41		Jct. high Round Valley Trail; go left to follow rest of guide from mile 0.83 above
0.53	l		(green-leaf manzanita, <i>Arctostaphylos patula</i> )						
0.53	l	21	? unk per like paintbrush or catchfly	<i>Castilleja</i> or <i>Silene?</i>	1 / 1				<i>Mile:</i> 0.00 includes all mileages from 0.000 to 0.009; etc.
0.53	l	22	sp mystery sedge	<i>Carex</i> sp.	10 / 5				<i>S:</i> Side of trail on which the first occurrence is found: left, right, both, or center
0.53	l		(mountain whitethorn, <i>Ceanothus cordulatus</i> )						<i>#:</i> On-Trail species are numbered in order of first occurrence on trail (touchable without leaving the trail). Off-trail species are in parentheses.
0.61			Cross small drainage						<i>id?:</i> Species without an entry in this column are positively identified. "?" means we are just guessing the identification; "sp" means the genera is probably known, but the species name is uncertain; "~" means we have 95% confidence that this is the determination, but have not yet positively identified it; "ssp" means the subspecies or variety needs to be determined.
0.65	r	23	western wallflower	<i>Erysimum capitatum ssp. capitatum</i>	10 / 2	29			<i>#here</i> gives the <i>minimum</i> number of on-trail plants of this species on this trail, with the number of locations on this trail following the /, using maximum values of 99/9. 1/1 means a single plant in a single location; 10/9 means 10 plants occurring in at least 9 locations, etc.
0.66			(CHECK!) Cross western branch of south branch of Long Valley Creek						<i>#all</i> gives the number of plant trail guides, from all over southern California, that contain this taxon.
0.83	r		Jct. high Round Valley Trail; go right (see end of guide for option to go to Hidden Divide first). Sign: "[ahead] Willow Creek 2.7 mi; Saddle Junction 4.8 mi; Humber Park 6.8 mi; [back] Long Valley 1 mi; Tram 1.3 mi; [right] Round Valley 2 mi; San Jacinto Peak 5.5 mi"						<a href="http://tchester.org/sb/plants/guides/round_valley_loop.html">http://tchester.org/sb/plants/guides/round_valley_loop.html</a> Updated 29 August 2007.
1.13			(CHECK!) Cross same western branch of south branch of Long Valley Creek at higher elevation						
1.40	r	24	sp pinegrove groundsmoke or groundsmoke	<i>Gayophytum diffusum ssp. parviflorum</i> or <i>G. oligospermum</i>	20 / 2				
1.45	l	25	pine lousewort	<i>Pedicularis semibarbata</i>	1 / 1	16			
1.52			Now in another flattish area, the higher elevation extension of the previous flattish area						
1.78	l		Check for different annual						