

Species below are directly from guide going downhill; some have earlier locations

3.71	r	80	?	baby rosette - <i>Arabis?</i>			
3.71	r	81		mountain holly fern	<i>Polystichum scopulinum</i>	3 / 1	1
3.71	r			(spike trisetum, <i>Trisetum spicatum</i>)			
3.74				Trail curves right 90°.			
3.76				Switchback left			
3.77				Switchback right			
3.77	b	82		white-veined wintergreen	<i>Pyrola picta</i>	10 / 4	3
3.81				Trail curves right			
3.83	r	83		Watson's spike-moss	<i>Selaginella watsonii</i>	1 / 1	4
3.83	r			Alpine form of rush blue grass, <i>Poa secunda</i> ssp. <i>juncifolia</i> , formerly called <i>Poa nevadensis</i> .			
3.83	r	84		shaggy-haired alumroot	<i>Heuchera hirsutissima</i>	6 / 2	1
3.90				Trail curves right			
3.90	l			(limber-pine dwarf-mistletoe, <i>Arceuthobium cyanocarpum</i>)			
3.94	r	85		Parish's campion	<i>Silene parishii</i>	10 / 2	6
3.98	r	86		lodgepole pine	<i>Pinus contorta</i> ssp. <i>murrayana</i>	20 / 9	7
4.05	b	87		Parish's snowberry	<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	2 / 1	10
4.06	r	88		western needlegrass	<i>Achnatherum occidentale</i> ssp. <i>occidentale</i>	2 / 2	1
4.06	r	89	?	mystery rush / sedge	?	2 / 2	
4.06	r	90		San Jacinto Mts. Keckiella (in chinquapin)	<i>Keckiella rothrockii</i> var. <i>jacintensis</i>	1 / 1	4
4.08	r	91		pussy paws	<i>Calyptidium monospermum</i>	5 / 1	6
4.08				End South Ridge Trail at Chinquapin Jet with the PCT, elevation 8570 feet (2610 m)			

http://tchester.org/sb/plants/guides/srt_up.html
Updated 24 June 2007.

Plant Guide to South Ridge Trail, San Jacinto Mountains

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin trail at lower trailhead; elevation ~6540 feet (1995 m)			
0.00	r			(snow-plant, <i>Sarcodes sanguinea</i> , 40 feet away)			
0.00	r	1		Parish' Jacumba milk-vetch	<i>Astragalus douglasii</i> var. <i>parishii</i>	30 / 9	4
0.00	r	2		purple-root cryptantha	<i>Cryptantha micrantha</i>	99 / 5	8
0.00	b	3		Wright's buckwheat	<i>Eriogonum wrightii</i> var. <i>membranaceum</i>	30 / 9	1
0.00	b	4		California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	20 / 9	53
0.00	r	5		Sierra Nevada lotus	<i>Lotus nevadensis</i> var. <i>nevadensis</i>	20 / 9	6
0.00	r	6	ssp	California squirreltail	<i>Elymus elymoides</i> ssp. <i>californicus</i>	20 / 5	14
0.00	b	7		pink-bracted manzanita	<i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i>	99 / 9	2
0.00	r	8		confusing fescue	<i>Vulpia microstachys</i> var. <i>confusa</i>	20 / 1	2
0.00	r	9		Indian milkweed	<i>Asclepias eriocarpa</i>	1 / 1	19
0.00	r			Trail turns left 90°			
0.00	r			Sign: "South Ridge Trail ..."			
0.00	r	10		canyon live oak	<i>Quercus chrysolepis</i>	99 / 9	22
0.00	b	11		golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	30 / 4	57
0.00	r	12		leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	1 / 1	45
0.00	r	13		strigose lotus	<i>Lotus strigosus</i>	30 / 9	39
0.00	r	14		whisker-brush	<i>Linanthus ciliatus</i>	5 / 1	5
0.00	r	15		*downy brome	<i>Bromus tectorum</i>	50 / 5	22
0.00	b	16		Coulter pine	<i>Pinus coulteri</i>	1 / 1	11
0.00	r	17		pine dwarf-mistletoe	<i>Arceuthobium campylopodum</i>	1 / 1	1

0.01	b	18	slender bedstraw	<i>Galium angustifolium ssp. gracillimum</i>	10 / 5	3	3.21	Switchback right			
							3.24	r	(limber pine, <i>Pinus flexilis</i>)		
0.01	b	19	California black oak	<i>Quercus kelloggii</i>	3 / 1	12					
0.01	r	20	perennial rock-cress	<u>Arabis perennans[±]</u>	50 / 9	7	3.24	r 73 ~	San Jacinto Mtns. daisy	<i>Erigeron breweri var. jacinteus</i>	1 / 1 1
0.01	r	21	oak mistletoe	<i>Phoradendron villosum</i>	2 / 2	5	3.27		Switchback left		
0.01	r	22	rush blue grass	<u>Poa secunda ssp. juncifolia[±]</u>	30 / 5	1	3.30	r	southern mountain-monardella	<i>Monardella australis</i>	/
0.01	b	23	goldenrod	<i>Solidago californica</i>	10 / 1	37	3.31	r 74	Parish's bedstraw	<i>Galium parishii</i>	3 / 2 7
0.01	l	24	incense-cedar	<i>Calocedrus decurrens</i>	5 / 1	13	3.31	r 75	Martin's paintbrush	<i>Castilleja applegatei ssp. martinii</i>	2 / 2 15
0.02	r	25	sp catchfly	<i>Silene sp. similar to S. laciniata</i>	1 / 1		3.31	r	(Check for different grass)		
0.02	r	26	white fir	<i>Abies concolor</i>	30 / 9	20	3.31	r 76	rock buckwheat	<i>Eriogonum saxatile</i>	3 / 1 11
0.02	r	27	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	1 / 1	44	3.34		Switchback right at saddle		
0.02	r	28	California fuchsia	<i>Epilobium canum</i>	10 / 3	14	3.38	r	Check if this is a limber or lodgepole pine		
0.02	r	29	sp short-flowered monardella	<i>Monardella nana ssp. tenuiflora</i>	10 / 3	2	3.38	l	(beaked penstemon, <i>Penstemon rostriflorus</i>)		
0.03			Switchback left at drainage				3.39	l 77	Parish's needlegrass	<i>Achnatherum parishii</i>	1 / 1 7
0.03	r	30	Cleveland's horkelia	<i>Horkelia clevelandii</i>	1 / 1	4	3.40	l	(San Jacinto prickly phlox, <i>Leptodactylon jaegeri</i>)		
0.04	r	31	white-margined oxytheca	<i>Oxytheca emarginata</i>	30 / 3	1	3.45		Switchback left		
0.04	r		Sign: Be prepared for hazardous conditions; permit required for wilderness area..."				3.48		Switchback right		
0.04	r	32	incense-cedar mistletoe	<i>Phoradendron libocedri</i>	1 / 1	3	3.50		Switchback left		
0.06	l	33	interior live oak	<i>Quercus wislizeni var. frutescens</i>	4 / 2	8	3.52		Switchback right		
0.08			Switchback right				3.55		Switchback left		
0.08	l	34	chaparral whitethorn	<i>Ceanothus leucodermis</i>	4 / 2	15	3.55		Switchback right		
0.08	r	35	Mexican manzanita	<i>Arctostaphylos pungens</i>	1 / 1	3	3.56	l 78	limber pine	<i>Pinus flexilis</i>	40 / 9 7
0.08	l	36	Jeffrey pine	<i>Pinus jeffreyi</i>	99 / 9	21	3.56		Jct. to Tahquitz Lookout; go right on it.		
0.10			Switchback left				3.58		Trail begins a series of zig-zags.		
0.10	r	37	bush monkeyflower	<i>Mimulus aurantiacus</i>	5 / 1	43	3.59	l 79	mountain spray	<i>Holodiscus microphyllus var. microphyllus</i>	2 / 2 7
0.12	r	38	~ Parish's chaenactis	<i>Chaenactis parishii</i>	10 / 1	1	3.60		Tahquitz Lookout base.		
0.12	r	39	California coffeeberry	<u>Rhamnus californica[±]</u>	1 / 1	2	3.61		Catwalk of Tahquitz Lookout; elevation 8846 feet (2696 m); return to trail jct.		
0.12	l	40	sugar pine	<i>Pinus lambertiana</i>	50 / 9	12	3.68		Jct. main South Ridge Trail; go right on it		

1.76		Y-jct; trail splits for 0.02 miles; stay right			0.12	r 41 ~	popcorn flower	<i>Cryptantha intermedia</i>	10 / 1	30
1.79		Switchback right and curve left			0.13		Trail curves right			
1.79	l	Sign: "Entering San Jacinto Wild Area"			0.14	r 42	naked buckwheat	<i>Eriogonum nudum var. pauciflorum</i>	30 / 9	3
1.79	l 66 ~	spreading dogbane	Apocynum androsaemifolium [±]	10 / 1	4					
1.82	r	View of Tahquitz Lookout; local high point; trail briefly descends			0.15		Trail curves right			
1.88		Local low point at drainage to east; only sandy section of trail; next short stretch is not as steep			0.17	l	(beautiful hulsea, <i>Hulsea vestita ssp. callicarpa</i>)			
1.88	r 67	linedrops	<i>Pteropora andromeda</i>	4 / 2	6					
		Check mileage from here to Ivesia gully; uphill and downhill differ by 0.10 miles			0.20	r	Several 6 inch wide yellow-brown mushrooms			
1.94	l 68	bush chinquapin	<i>Chrysolepis sempervirens</i>	50 / 9	9					
2.04		Trail curves right at ridge			0.21		Trail curves right			
2.17	b 69	green-leaf manzanita	<i>Arctostaphylos patula</i>	50 / 9	12					
2.26	l 70	curl-leaf mountain-mahogany	<i>Cercocarpus ledifolius var. intermontanus</i>	10 / 9	10					
2.30		Trail curves left 90° at gully leading uphill to steep cliffs with Tahquitz ivesia, <i>Ivesia callida</i>			0.21	r 44 ~	mountain grape-soda lupine	<i>Lupinus excubitus var. austromontanus</i>	2 / 2	5
		Look for <i>Potentilla rimicola</i>			0.22	r 45 ?	Laguna Mtns. jewel-flower? Penstemon?	<i>Streptanthus bernardinus? Penstemon rostriflorus?</i>	2 / 2	
2.38		Switchback right				r	Boulders showing old soil line by absence of lichens at base			
2.44		Switchback left just short of ridge with many footprints giving access to the steep cliffs with Tahquitz ivesia, <i>Ivesia callida</i>			0.25	l 46	mountain whitethorn	<i>Ceanothus cordulatus</i>	50 / 9	15
2.52		Switchback right just below saddle			0.27	l 47	little prince's pine	<i>Chimaphila menziesii</i>	10 / 3	2
2.64		Switchback left at huge split boulder			0.27	l	(snow-plant, <i>Sarcodes sanguinea</i>)			
2.70	r 71	California groundcone	<i>Boschniakia strobilacea</i>	99 / 9	3					
2.74		Switchback right			0.28	l	Rock window formed by two huge boulders			
2.80		Switchback left			0.28	l 48	Wright's buckwheat	<i>Eriogonum wrightii var. subscaposum</i>	50 / 9	14
2.88		Switchback right			0.29	l 49	Nevin's bird's beak	<i>Cordylanthus nevinii</i>	20 / 2	8
3.01		Switchback left			0.29	l 50	small fescue	<i>Vulpia microstachys var. microstachys</i>	20 / 2	1
3.10	r 72	granite prickly phlox	<i>Leptodactylon pungens</i>	/	7					
3.15		Switchback right			0.30		Trail jogs right, then left			
3.17		Switchback left			0.30	b 51	southern mountain woolly-star	<i>Eriastrum densifolium ssp. austromontanum</i>	30 / 2	11
					0.31	r 52	San Bernardino rubber rabbitbrush	<i>Chrysothamnus nauseosus ssp. bernardinus</i>	50 / 9	15
					0.31	r 53	bajada lupine	<i>Lupinus concinnus</i>	10 / 2	13
					0.32	l 54	Jepson's blue wildrye	<i>Elymus glaucus ssp. jepsonii</i>	10 / 2	14
					0.33		Trail turns left 90° at drainage			
					0.34	r 55 ~	beautiful hulsea	<i>Hulsea vestita ssp. callicarpa</i>	20 / 5	2

0.34	r	56	sp	ann buckwheat	<i>Eriogonum with kidney-shaped leaf, wider than long</i>	/			0.81		Switchback right				
									0.83	r	View of desert				
0.36				Trail curves right					0.85	r	View of Garner Valley, Lake Hemet, Palomar, Thomas, Cahuilla and Hot Springs Mountains				
0.37				Trail turns right 90°					0.85	r	(rock goldenbush, <i>Ericameria cuneata</i> var. <i>cuneata</i>)				
0.37	r	57	~	slender wreathplant	<i>Stephanomeria exigua</i>	/			0.88		Switchback left				
0.38	r			San Jacinto buckwheat	<i>Eriogonum apiculatum</i>	30 / 3	4		0.92	l	Rock / tree window; trail curves right at ridge				
0.38	b	58		groundsmoke	<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	10 / 1	9		0.96		Switchback right				
0.38	l			Impressive flat-topped rock outcrop					1.03		Switchback left				
0.40	r			Jct. old road					1.07		Switchback right				
0.41	r			Sign: "San Jacinto Wilderness"					1.10		Switchback left				
0.42	b	59		bracken	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	2 / 1	11		1.11	l	short-flowered monardella in bloom	<i>Monardella nana</i> ssp. <i>tenuiflora</i>	/		
0.42				Center of long curve right					1.11	l	64	snow-plant	<i>Sarcodes sanguinea</i>	2 / 2	9
0.43	l			(woodland spurge, <i>Euphorbia palmeri</i>)					1.13	l		View of Santa Margarita Mountains at 9:00, to left of Santa Ana Mountains			
0.43	l	60		Grinnell's beardtongue	<i>Penstemon grinnellii</i> var. <i>grinnellii</i>	30 / 5	16		1.16			Switchback right			
0.44	r	61		Parish's tauschia	<i>Tauschia parishii</i>	10 / 5	5		1.19			Trail curves left at ridge			
0.45	l			View of Lily Rock and Tahquitz Peak					1.24			Switchback left			
0.46				Trail curves right					1.25	r	65	southern mountain-monardella	<i>Monardella australis</i>	10 / 3	8
0.48				Switchback left					1.29			Switchback right			
0.50	b	62		western wallflower	<i>Erysimum capitatum</i> ssp. <i>capitatum</i>	20 / 2	19		1.33	r		Good view of Desert Divide and Santa Rosa Mountain peaks; switchback left			
0.55	r	63		white catch-fly	<i>Silene verecunda</i> ssp. <i>platyota</i>	2 / 1	12		1.38			Switchback right			
0.60				Trail curves left 90°					1.40			Switchback left			
0.64				Switchback right, then trail curves left					1.43	l		(fir mistletoe, <i>Phoradendron pauciflorum</i>)			
0.67				Trail curves right at drainage, then curves left again; some honking pink-bracted manzanita, <i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i> here					1.43			Switchback right and curve left 90°			
0.72				Switchback left					1.58			Switchback left at rock window with 3 subpanes			
0.76				Switchback right					1.62			Switchback right			
0.78				Switchback left					1.65			Switchback left			
									1.67			Switchback right			

Species below are directly from guide going downhill; some have earlier locations

3.71	r	80	?	baby rosette - <i>Arabis?</i>			
3.71	r	81		mountain holly fern	<i>Polystichum scopulinum</i>	3 / 1	1
3.71	r			(spike trisetum, <i>Trisetum spicatum</i>)			
3.74				Trail curves right 90°.			
3.76				Switchback left			
3.77				Switchback right			
3.77	b	82		white-veined wintergreen	<i>Pyrola picta</i>	10 / 4	3
3.81				Trail curves right			
3.83	r	83		Watson's spike-moss	<i>Selaginella watsonii</i>	1 / 1	4
3.83	r			Alpine form of rush blue grass, <i>Poa secunda</i> ssp. <i>juncifolia</i> , formerly called <i>Poa nevadensis</i> .			
3.83	r	84		shaggy-haired alumroot	<i>Heuchera hirsutissima</i>	6 / 2	1
3.90				Trail curves right			
3.90	l			(limber-pine dwarf-mistletoe, <i>Arceuthobium cyanocarpum</i>)			
3.94	r	85		Parish's campion	<i>Silene parishii</i>	10 / 2	6
3.98	r	86		lodgepole pine	<i>Pinus contorta</i> ssp. <i>murrayana</i>	20 / 9	7
4.05	b	87		Parish's snowberry	<i>Symphoricarpos rotundifolius</i> var. <i>parishii</i>	2 / 1	10
4.06	r	88		western needlegrass	<i>Achnatherum occidentale</i> ssp. <i>occidentale</i>	2 / 2	1
4.06	r	89	?	mystery rush / sedge	?	2 / 2	
4.06	r	90		San Jacinto Mts. Keckiella (in chinquapin)	<i>Keckiella rothrockii</i> var. <i>jacintensis</i>	1 / 1	4
4.08	r	91		pussy paws	<i>Calyptridium monospermum</i>	5 / 1	6
4.08				End South Ridge Trail at Chinquapin Jet with the PCT, elevation 8570 feet (2610 m)			

http://tchester.org/sb/plants/guides/srt_up.html
Updated 24 June 2007.

Plant Guide to South Ridge Trail, San Jacinto Mountains

Mile	S	#	id?	Common Name	Latin Name	#here	#all
0.00				Begin trail at lower trailhead; elevation ~6540 feet (1995 m)			
0.00	r			(snow-plant, <i>Sarcodes sanguinea</i> , 40 feet away)			
0.00	r	1		Parish' Jacumba milk-vetch	<i>Astragalus douglasii</i> var. <i>parishii</i>	30 / 9	4
0.00	r	2		purple-root cryptantha	<i>Cryptantha micrantha</i>	99 / 5	8
0.00	b	3		Wright's buckwheat	<i>Eriogonum wrightii</i> var. <i>membranaceum</i>	30 / 9	1
0.00	b	4		California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	20 / 9	53
0.00	r	5		Sierra Nevada lotus	<i>Lotus nevadensis</i> var. <i>nevadensis</i>	20 / 9	6
0.00	r	6	ssp	California squirreltail	<i>Elymus elymoides</i> ssp. <i>californicus</i>	20 / 5	14
0.00	b	7		pink-bracted manzanita	<i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i>	99 / 9	2
0.00	r	8		confusing fescue	<i>Vulpia microstachys</i> var. <i>confusa</i>	20 / 1	2
0.00	r	9		Indian milkweed	<i>Asclepias eriocarpa</i>	1 / 1	19
0.00				Trail turns left 90°			
0.00	r			Sign: "South Ridge Trail ..."			
0.00	r	10		canyon live oak	<i>Quercus chrysolepis</i>	99 / 9	22
0.00	b	11		golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	30 / 4	57
0.00	r	12		leafy daisy	<i>Erigeron foliosus</i> var. <i>foliosus</i>	1 / 1	45
0.00	r	13		strigose lotus	<i>Lotus strigosus</i>	30 / 9	39
0.00	r	14		whisker-brush	<i>Linanthus ciliatus</i>	5 / 1	5
0.00	r	15		*downy brome	<i>Bromus tectorum</i>	50 / 5	22
0.00	b	16		Coulter pine	<i>Pinus coulteri</i>	1 / 1	11
0.00	r	17		pine dwarf-mistletoe	<i>Arceuthobium campylopodum</i>	1 / 1	1

0.01	b	18	slender bedstraw	<i>Galium angustifolium ssp. gracillimum</i>	10 / 5	3	3.21	Switchback right			
							3.24	r	(limber pine, <i>Pinus flexilis</i>)		
0.01	b	19	California black oak	<i>Quercus kelloggii</i>	3 / 1	12					
0.01	r	20	perennial rock-cress	<u>Arabis perennans[±]</u>	50 / 9	7	3.24	r 73 ~	San Jacinto Mtns. daisy	<i>Erigeron breweri var. jacinteus</i>	1 / 1 1
0.01	r	21	oak mistletoe	<i>Phoradendron villosum</i>	2 / 2	5	3.27		Switchback left		
0.01	r	22	rush blue grass	<u>Poa secunda ssp. juncifolia[±]</u>	30 / 5	1	3.30	r	southern mountain-monardella	<i>Monardella australis</i>	/
0.01	b	23	goldenrod	<i>Solidago californica</i>	10 / 1	37	3.31	r 74	Parish's bedstraw	<i>Galium parishii</i>	3 / 2 7
0.01	l	24	incense-cedar	<i>Calocedrus decurrens</i>	5 / 1	13	3.31	r 75	Martin's paintbrush	<i>Castilleja applegatei ssp. martinii</i>	2 / 2 15
0.02	r	25	sp catchfly	<i>Silene sp. similar to S. laciniata</i>	1 / 1		3.31	r	(Check for different grass)		
0.02	r	26	white fir	<i>Abies concolor</i>	30 / 9	20	3.31	r 76	rock buckwheat	<i>Eriogonum saxatile</i>	3 / 1 11
0.02	r	27	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	1 / 1	44	3.34		Switchback right at saddle		
0.02	r	28	California fuchsia	<i>Epilobium canum</i>	10 / 3	14	3.38	r	Check if this is a limber or lodgepole pine		
0.02	r	29	sp short-flowered monardella	<i>Monardella nana ssp. tenuiflora</i>	10 / 3	2	3.38	l	(beaked penstemon, <i>Penstemon rostriflorus</i>)		
0.03			Switchback left at drainage				3.39	l 77	Parish's needlegrass	<i>Achnatherum parishii</i>	1 / 1 7
0.03	r	30	Cleveland's horkelia	<i>Horkelia clevelandii</i>	1 / 1	4	3.40	l	(San Jacinto prickly phlox, <i>Leptodactylon jaegeri</i>)		
0.04	r	31	white-margined oxytheca	<i>Oxytheca emarginata</i>	30 / 3	1	3.45		Switchback left		
0.04	r		Sign: Be prepared for hazardous conditions; permit required for wilderness area..."				3.48		Switchback right		
0.04	r	32	incense-cedar mistletoe	<i>Phoradendron libocedri</i>	1 / 1	3	3.50		Switchback left		
0.06	l	33	interior live oak	<i>Quercus wislizeni var. frutescens</i>	4 / 2	8	3.52		Switchback right		
0.08			Switchback right				3.55		Switchback left		
0.08	l	34	chaparral whitethorn	<i>Ceanothus leucodermis</i>	4 / 2	15	3.55		Switchback right		
0.08	r	35	Mexican manzanita	<i>Arctostaphylos pungens</i>	1 / 1	3	3.56	l 78	limber pine	<i>Pinus flexilis</i>	40 / 9 7
0.08	l	36	Jeffrey pine	<i>Pinus jeffreyi</i>	99 / 9	21	3.56		Jct. to Tahquitz Lookout; go right on it.		
0.10			Switchback left				3.58		Trail begins a series of zig-zags.		
0.10	r	37	bush monkeyflower	<i>Mimulus aurantiacus</i>	5 / 1	43	3.59	l 79	mountain spray	<i>Holodiscus microphyllus var. microphyllus</i>	2 / 2 7
0.12	r	38	~ Parish's chaenactis	<i>Chaenactis parishii</i>	10 / 1	1	3.60		Tahquitz Lookout base.		
0.12	r	39	California coffeeberry	<u>Rhamnus californica[±]</u>	1 / 1	2	3.61		Catwalk of Tahquitz Lookout; elevation 8846 feet (2696 m); return to trail jct.		
0.12	l	40	sugar pine	<i>Pinus lambertiana</i>	50 / 9	12	3.68		Jct. main South Ridge Trail; go right on it		

1.76		Y-jct; trail splits for 0.02 miles; stay right			0.12	r 41 ~	popcorn flower	<i>Cryptantha intermedia</i>	10 / 1	30
1.79		Switchback right and curve left			0.13		Trail curves right			
1.79	l	Sign: "Entering San Jacinto Wild Area"			0.14	r 42	naked buckwheat	<i>Eriogonum nudum var. pauciflorum</i>	30 / 9	3
1.79	l 66 ~	spreading dogbane	Apocynum androsaemifolium [±]	10 / 1	4					
1.82	r	View of Tahquitz Lookout; local high point; trail briefly descends			0.15		Trail curves right			
1.88		Local low point at drainage to east; only sandy section of trail; next short stretch is not as steep			0.17	l	(beautiful hulsea, <i>Hulsea vestita ssp. callicarpa</i>)			
1.88	r 67	linedrops	<i>Pterospora andromeda</i>	4 / 2	6					
		Check mileage from here to Ivesia gully; uphill and downhill differ by 0.10 miles			0.20	r	Several 6 inch wide yellow-brown mushrooms			
1.94	l 68	bush chinquapin	<i>Chrysolepis sempervirens</i>	50 / 9	9					
2.04		Trail curves right at ridge			0.21		Trail curves right			
2.17	b 69	green-leaf manzanita	<i>Arctostaphylos patula</i>	50 / 9	12					
2.26	l 70	curl-leaf mountain-mahogany	<i>Cercocarpus ledifolius var. intermontanus</i>	10 / 9	10					
2.30		Trail curves left 90° at gully leading uphill to steep cliffs with Tahquitz ivesia, <i>Ivesia callida</i>			0.21	r 44 ~	mountain grape-soda lupine	<i>Lupinus excubitus var. austromontanus</i>	2 / 2	5
		Look for <i>Potentilla rimicola</i>			0.22	r 45 ?	Laguna Mtns. jewel-flower? Penstemon?	<i>Streptanthus bernardinus? Penstemon rostriflorus?</i>	2 / 2	
2.38		Switchback right				r	Boulders showing old soil line by absence of lichens at base			
2.44		Switchback left just short of ridge with many footprints giving access to the steep cliffs with Tahquitz ivesia, <i>Ivesia callida</i>			0.25	l 46	mountain whitethorn	<i>Ceanothus cordulatus</i>	50 / 9	15
2.52		Switchback right just below saddle			0.27	l 47	little prince's pine	<i>Chimaphila menziesii</i>	10 / 3	2
2.64		Switchback left at huge split boulder			0.27	l	(snow-plant, <i>Sarcodes sanguinea</i>)			
2.70	r 71	California groundcone	<i>Boschniakia strobilacea</i>	99 / 9	3					
2.74		Switchback right			0.28	l	Rock window formed by two huge boulders			
2.80		Switchback left			0.28	l 48	Wright's buckwheat	<i>Eriogonum wrightii var. subscaposum</i>	50 / 9	14
2.88		Switchback right			0.29	l 49	Nevin's bird's beak	<i>Cordylanthus nevinii</i>	20 / 2	8
3.01		Switchback left			0.29	l 50	small fescue	<i>Vulpia microstachys var. microstachys</i>	20 / 2	1
3.10	r 72	granite prickly phlox	<i>Leptodactylon pungens</i>	/	7					
3.15		Switchback right			0.30		Trail jogs right, then left			
3.17		Switchback left			0.30	b 51	southern mountain woolly-star	<i>Eriastrum densifolium ssp. austromontanum</i>	30 / 2	11
					0.31	r 52	San Bernardino rubber rabbitbrush	<i>Chrysothamnus nauseosus ssp. bernardinus</i>	50 / 9	15
					0.31	r 53	bajada lupine	<i>Lupinus concinnus</i>	10 / 2	13
					0.32	l 54	Jepson's blue wildrye	<i>Elymus glaucus ssp. jepsonii</i>	10 / 2	14
					0.33		Trail turns left 90° at drainage			
					0.34	r 55 ~	beautiful hulsea	<i>Hulsea vestita ssp. callicarpa</i>	20 / 5	2

0.34	r	56	sp	ann buckwheat	<i>Eriogonum with kidney-shaped leaf, wider than long</i>	/			0.81		Switchback right				
									0.83	r	View of desert				
0.36				Trail curves right					0.85	r	View of Garner Valley, Lake Hemet, Palomar, Thomas, Cahuilla and Hot Springs Mountains				
0.37				Trail turns right 90°					0.85	r	(rock goldenbush, <i>Ericameria cuneata</i> var. <i>cuneata</i>)				
0.37	r	57	~	slender wreathplant	<i>Stephanomeria exigua</i>	/			0.88		Switchback left				
0.38	r			San Jacinto buckwheat	<i>Eriogonum apiculatum</i>	30 / 3	4		0.92	l	Rock / tree window; trail curves right at ridge				
0.38	b	58		groundsmoke	<i>Gayophytum diffusum</i> ssp. <i>parviflorum</i>	10 / 1	9		0.96		Switchback right				
0.38	l			Impressive flat-topped rock outcrop					1.03		Switchback left				
0.40	r			Jct. old road					1.07		Switchback right				
0.41	r			Sign: "San Jacinto Wilderness"					1.10		Switchback left				
0.42	b	59		bracken	<i>Pteridium aquilinum</i> var. <i>pubescens</i>	2 / 1	11		1.11	l	short-flowered monardella in bloom	<i>Monardella nana</i> ssp. <i>tenuiflora</i>	/		
0.42				Center of long curve right					1.11	l	64	snow-plant	<i>Sarcodes sanguinea</i>	2 / 2	9
0.43	l			(woodland spurge, <i>Euphorbia palmeri</i>)					1.13	l		View of Santa Margarita Mountains at 9:00, to left of Santa Ana Mountains			
0.43	l	60		Grinnell's beardtongue	<i>Penstemon grinnellii</i> var. <i>grinnellii</i>	30 / 5	16		1.16			Switchback right			
0.44	r	61		Parish's tauschia	<i>Tauschia parishii</i>	10 / 5	5		1.19			Trail curves left at ridge			
0.45	l			View of Lily Rock and Tahquitz Peak					1.24			Switchback left			
0.46				Trail curves right					1.25	r	65	southern mountain-monardella	<i>Monardella australis</i>	10 / 3	8
0.48				Switchback left					1.29			Switchback right			
0.50	b	62		western wallflower	<i>Erysimum capitatum</i> ssp. <i>capitatum</i>	20 / 2	19		1.33	r		Good view of Desert Divide and Santa Rosa Mountain peaks; switchback left			
0.55	r	63		white catch-fly	<i>Silene verecunda</i> ssp. <i>platyota</i>	2 / 1	12		1.38			Switchback right			
0.60				Trail curves left 90°					1.40			Switchback left			
0.64				Switchback right, then trail curves left					1.43	l		(fir mistletoe, <i>Phoradendron pauciflorum</i>)			
0.67				Trail curves right at drainage, then curves left again; some honking pink-bracted manzanita, <i>Arctostaphylos pringlei</i> ssp. <i>drupacea</i> here					1.43			Switchback right and curve left 90°			
0.72				Switchback left					1.58			Switchback left at rock window with 3 subpanes			
0.76				Switchback right					1.62			Switchback right			
0.78				Switchback left					1.65			Switchback left			
									1.67			Switchback right			