

Plant Guide to Vernal Pool Trail, Santa Rosa Plateau

Mile S	#	id?	Common Name	Latin Name	#here	#all
0.00			Trailhead on Via Volcano			
0.00	b		(puncture-vine, <i>Tribulus terrestris</i>)			
0.00	r	sp	(tumble pigweed, <i>Amaranthus albus</i> ; annual goosefoot, <i>Chenopodium sp.</i> ; telegraph weed, <i>Heterotheca grandiflora</i> ; horseweed, <i>Conyza canadensis</i> ; Rhodes grass, <i>Chloris gayana</i>)			
0.00	r	1	*foxtail barley	<u><i>Hordeum murinum ssp. glaucum</i></u> [±]	40 / 2	13
0.00	r	2	*ripgut brome	<i>Bromus diandrus</i>	99 / 9	51
0.00	r	3	*shortpod mustard	<i>Hirschfeldia incana</i>	99 / 9	51
0.00	c	4	*knotweed	<i>Polygonum arenastrum</i>	20 / 5	18
0.00	r	5	*Crete weed	<i>Hedypnois cretica</i>	5 / 2	19
0.00	r	6	*short-fruited filaree	<i>Erodium brachycarpum</i>	99 / 9	14
0.00	r	7	*wild oats	<i>Avena fatua</i>	99 / 9	26
0.00	l	8	*sow thistle	<i>Sonchus oleraceus</i>	20 / 5	41
0.00	r	9	blue dicks	<i>Dichelostemma capitatum ssp. capitatum</i>	99 / 9	46
0.00	r	10	checkerbloom	<i>Sidalcea malviflora ssp. sparsifolia</i>	99 / 9	25
0.00	l	11	*soft chess	<i>Bromus hordeaceus</i>	99 / 9	40
0.00		12	*tocalote	<i>Centaurea melitensis</i>	99 / 5	45
0.00	r	13	graceful tarplant	<i>Holocarpha virgata ssp. elongata</i>	99 / 9	14

0.00 r 14	rusty-haired popcorn flower	<i>Plagiobothrys nothofulvus</i>	99 / 9	12	1.61 b 180	horseweed	<i>Conyza canadensis</i>	5 / 1	40
0.00 15	splendid mariposa lily	<i>Calochortus splendens</i>	99 / 9	19	1.61 r	Jct. old Vernal Pool Trail; plants at Adobes not described here; most have been planted.			
0.00 r 16	California plantain	<i>Plantago erecta</i>	1 / 1	13	1.62 l 181	*little horseweed	<i>Conyza bonariensis</i>	5 / 1	18
0.00 r 17	soap plant	<i>Chlorogalum pomeridianum var. pomeridianum</i>	20 / 5	18	1.64 l	(horehound, <i>Marrubium vulgare</i>)			
0.00 b 18	*red brome	<i>Bromus madritensis ssp. rubens</i>	99 / 9	52	1.66 l 182	fragrant everlasting	<i>Gnaphalium canescens ssp. beneolens</i>	1 / 1	24
0.00 r 19	*pineapple weed	<i>Chamomilla suaveolens</i>	10 / 3	19	1.66 l 183 ~	*Chinese elm	<i>Ulmus parvifolia</i>	2 / 1	2
0.00 r 20	*smooth cat's ear	<i>Hypochaeris glabra</i>	99 / 9	35	1.67 r 184	*Bermuda grass	<i>Cynodon dactylon</i>	10 / 2	33
0.00 21	dove weed	<i>Eremocarpus setigerus</i>	30 / 5	24	1.67 r 185	*English plantain	<i>Plantago lanceolata</i>	5 / 1	20
0.00 r 22	shining peppergrass	<i>Lepidium nitidum var. nitidum</i>	99 / 3	6	1.67	Jct. Adobes; guide doesn't include plants at Adobes, and resumes back at the jct. with the Vernal Pool Trail. There is a porta-potty at Adobes.			
0.00 l 23	dwarf lupine	<i>Lupinus bicolor</i>	99 / 9	29	1.77	Jct. Vernal Pool Trail; guide continues west along Ranch Road toward Trans-Preserve Trail			
0.00 l 24	*Italian rye-grass	<i>Lolium multiflorum</i>	99 / 9	17	1.92 b 186	stinking gourd	<i>Cucurbita foetidissima</i>	5 / 1	9
0.00 r 25	purple clarkia	<i>Clarkia purpurea ssp. quadrivulnera</i>	99 / 9	25	2.06	Road curves right 90°			
0.00 l 26	*California burclover	<i>Medicago polymorpha</i>	50 / 4	40	2.12	Jct. Hidden Valley Road; turn left			
0.00 b 27	balloon clover	<i>Trifolium depauperatum var. truncatum</i>	99 / 9	7	2.19	Jct. S. Trans Preserve Trail; end guide			
0.01 l	Sign: "Reserve Fees \$2 adults, \$1 children"				http://tchester.org/srp/plants/guides/vp.html Updated 18 October 2005.				
0.01 r 28	Spanish clover	<i>Lotus purshianus var. purshianus</i>	30 / 4	31					
0.01 r 29	earth brodiaea	<i>Brodiaea terrestris ssp. kernensis</i>	99 / 9	7					
0.01 l 30	muilla	<i>Muilla maritima</i>	99 / 9	7					

1.33 r 170	white sage	<i>Salvia apiana</i>	1 / 1	38	0.01 r 31	purple sanicle	<i>Sanicula bipinnatifida</i>	99 / 9	11
1.33 r 171	gray sage	<u><i>Salvia apiana X S. mellifera</i></u> [±]	1 / 1	5	0.01 r 32	tawny popcorn flower	<u><i>Plagiobothrys fulvus</i></u> [±]	99 / 9	3
1.34	Local low point on trail				0.01 r 33	ground pink	<i>Linanthus dianthiflorus</i>	99 / 9	9
1.35 r 172	narrow-leaved miner's lettuce	<i>Claytonia parviflora ssp. parviflora</i>	2 / 1	19	0.01 l 34	goldfields	<i>Lasthenia californica</i>	99 / 9	12
1.35 r	(California peony, <i>Paeonia californica</i>)				0.01 r 35	common lomatium	<i>Lomatium utriculatum</i>	50 / 5	3
1.35	Local high point on trail				0.01 r 36	red maids	<i>Calandrinia ciliata</i>	20 / 3	18
1.36 l 173	blue elderberry	<i>Sambucus mexicana</i>	1 / 1	48	0.01 l	Display Board			
1.36	End chaparral				0.01 37	*nit grass	<i>Gastridium ventricosum</i>	99 / 9	24
1.37 b	First large patch of chocolate lily, <i>Fritillaria biflora var. biflora</i>				0.01 b 38	*hairy rattail fescue	<i>Vulpia myuros var. hirsuta</i>	99 / 9	18
1.37	Trail was rerouted in 2004 to eliminate the mudpit section. The new trail has many more chocolate lilies on it!				0.01 r 39	*slender wild oats	<i>Avena barbata</i>	50 / 3	39
1.44 l 174	slender madia	<i>Madia gracilis</i>	3 / 1	19	0.01 r 40	purple needlegrass	<i>Nassella pulchra</i>	99 / 9	19
1.45 r 175	*olive	<i>Olea europaea</i>	1 / 1	10	0.01 r 41	*prickly lettuce	<i>Lactuca serriola</i>	99 / 9	42
1.48	Cross small drainage				0.01 l 42	yellow carpet	<i>Blennosperma nanum var. nanum</i>	99 / 9	1
1.52 r 176	strigose lotus	<i>Lotus strigosus</i>	10 / 1	33	0.01 l	Sign: "Vernal Pool Trail (ahead); To Large Pool 0.7 mi; To Adobes 1.7 mi"			
1.53	Trail zigzags left				0.01 l 43	pygmy-weed	<i>Crassula connata</i>	50 / 2	28
1.54 r	White variant of dwarf lupine, <i>Lupinus bicolor</i>				0.01 l 44	silver puffs	<i>Uropappus lindleyi</i>	99 / 9	26
1.54 b 177	Indian milkweed	<i>Asclepias eriocarpa</i>	1 / 1	17	0.01 r 45	*mouse-ear chickweed	<i>Cerastium glomeratum</i>	5 / 2	19
1.57	Jct. Ranch Road. Turn right, toward adobes				0.01 r 46	owl's-clover	<u><i>Castilleja densiflora</i></u> [±]	99 / 5	7
1.59 l 178	*rose clover	<i>Trifolium hirtum</i>	2 / 1	12	0.01 r 47	*windmill pink	<i>Silene gallica</i>	20 / 2	33
1.59 r 179	western ragweed	<i>Ambrosia psilostachya</i>	10 / 1	39	0.01 r 48	*narrowleaf filago	<i>Filago gallica</i>	20 / 2	45

0.01 r 49	brown microseris	<i>Stebbinsoseris heterocarpa</i>	50 / 3	3	1.20 r 158	heartleaf penstemon	<i>Keckiella cordifolia</i>	2 / 2	27
0.01 l	(San Diego wreathplant, <i>Stephanomeria diegensis</i>)				1.22 r 159	small-flower western flax	<i>Hesperolinon micranthum</i>	50 / 3	1
0.02 b 50	California-aster	<i>Lessingia filaginifolia</i> var. <i>filaginifolia</i>	30 / 9	51	1.23 l 160	chocolate lily	<i>Fritillaria biflora</i> var. <i>biflora</i>	50 / 9	5
0.03 r 51	*redstem filaree	<i>Erodium cicutarium</i>	20 / 2	55	1.23 161	yellow mariposa lily	<i>Calochortus weedii</i> var. <i>weedii</i>	10 / 1	10
0.04 l	(coast live oak, <i>Quercus agrifolia</i> var. <i>agrifolia</i>)				1.23 l 162	golden yarrow	<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	20 / 2	55
0.04 r 52	vinegar weed	<i>Trichostema lanceolatum</i>	20 / 5	14	1.24 b 163	red-skinned onion	<i>Allium haematochiton</i>	10 / 3	3
0.05 l 53	one-sided bluegrass	<i>Poa secunda</i> ssp. <i>secunda</i>	10 / 3	23	1.24 164	*English rye-grass	<i>Lolium perenne</i>	1 / 1	2
0.05 54	*goldentop	<i>Lamarckia aurea</i>	99 / 3	21	1.24	Local low point on trail			
0.05 r 55	sharp-toothed sanicle	<i>Sanicula arguta</i>	20 / 6	16	1.24 r	(chocolate lily, <i>Fritillaria biflora</i> var. <i>biflora</i> in field of red-skinned onion, <i>Allium haematochiton</i>)			
0.06 l 56	San Diego birdsfoot lotus	<i>Lotus hamatus</i>	5 / 1	24	1.24 l 165	southern foothill penstemon	<i>Penstemon heterophyllus</i> var. <i>australis</i>	1 / 1	2
0.06 l 57	bajada lupine	<i>Lupinus concinnus</i>	30 / 3	11	1.24 r 166	foothill needlegrass	<i>Nassella lepida</i>	20 / 1	20
0.06 l 58	long-stemmed buckwheat	<i>Eriogonum elongatum</i> var. <i>elongatum</i>	20 / 3	27	1.27 l 167	Eastwood manzanita	<i>Arctostaphylos glandulosa</i> ssp. <i>zacaensis</i>	5 / 2	11
0.06 l 59	angel's gilia	<i>Gilia angelensis</i>	40 / 1	14	1.28 r 168	white-leaf monardella	<i>Monardella hypoleuca</i> ssp. <i>hypoleuca</i>	5 / 1	1
0.06 l	(In prickly-pear: Vasey's prickly-pear, <i>Opuntia vaseyi</i> ; *bull thistle, <i>Cirsium vulgare</i> ; California fuchsia, <i>Epilobium canum</i> ssp. <i>canum</i> ; wild cucumber, <i>Marah macrocarpus</i> var. <i>macrocarpus</i> ; and poison oak, <i>Toxicodendron diversilobum</i> .)				1.30 r 169	hollyleaf redberry	<i>Rhamnus ilicifolia</i>	5 / 1	43
60	*sand spurrey	<i>Spergularia bocconei</i>±	10 / 2	13	1.30	Cross drainage			
0.09 r 61	fringe-pod	<i>Thysanocarpus curvipes</i>	10 / 2	9	1	(One or two *olive trees, <i>Olea europaea</i> present in 2001 were removed in 2002.)			
l 62	rattlesnake weed	<i>Daucus pusillus</i>	10 / 2	28	1.31	Local high point on trail			
r 63	*scarlet pimpernel	<i>Anagallis arvensis</i>	10 / 2	32	1.32	Interesting mushrooms, light brown with dark brown edge.			

1.12 l 144	toyon	<i>Heteromeles arbutifolia</i>	10 / 2	44	0.10 l 64	San Diego morning-glory	<u><i>Calystegia macrostegia ssp. tenuifolia</i></u> [±]	10 / 3	18
1.14 l	(chocolate lily, <i>Fritillaria biflora var. biflora</i>)				l 65	*hedge mustard	<i>Sisymbrium officinale</i>	30 / 2	20
1.15 r	(Engelmann oak, <i>Quercus engelmannii</i> , with a few crown galls, lost two major limbs from main trunk in summer 2005)				r 66	*white sweetclover	<i>Melilotus albus</i>	10 / 1	7
1.17	Enter Fairy Lane, a short section of chaparral / coastal sage scrub lined with Fairy Lanterns (in season).				0.11 l	(large Engelmann oak, <i>Quercus engelmannii</i>)			
1.17 b 145	white fairy lantern	<i>Calochortus albus</i>	50 / 2	2	0.11 r 67	*brome fescue	<i>Vulpia bromoides</i>	/	4
1.17 b 146	Torrey's scrub oak	<i>Quercus acutidens</i>	20 / 2	26	0.11 r 68	blue larkspur	<i>Delphinium parryi ssp. parryi</i>	20 / 3	13
1.17 r 147	sticky cinquefoil	<i>Potentilla glandulosa ssp. glandulosa</i>	20 / 2	17	0.12 r 69	blue-eyed grass	<i>Sisyrinchium bellum</i>	99 / 9	19
1.18 b 148	Pacific sanicle	<i>Sanicula crassicaulis</i>	5 / 2	20	0.12 b 70	johnny jump-up	<i>Viola pedunculata</i>	99 / 9	16
1.18 r 149	narrowleaf bedstraw	<i>Galium angustifolium ssp. angustifolium</i>	10 / 2	48	0.12 l	Jct. Los Santos Trail. Enter mustard and wild oats "desert", crowding out natives, mostly on right.			
1.18 r 150	saw-toothed goldenbush	<i>Hazardia squarrosa var. grindelioides</i>	20 / 2	35	0.12 l	(California buckwheat, <i>Eriogonum fasciculatum var. foliolosum</i>)			
1.18 b 151	deerweed	<i>Lotus scoparius var. scoparius</i>	20 / 2	29	0.13 l	(telegraph weed, <i>Heterotheca grandiflora</i>)			
1.18 r 152	bush monkeyflower	<i>Mimulus aurantiacus</i>	10 / 1	42	0.14 l 71	*curly dock	<i>Rumex crispus</i>	99 / 5	23
1.18 l	(sacapellote, <i>Acourtia microcephala</i>)				0.14 r	(California everlasting in prickly pear)			
1.20 r 153	black sage	<i>Salvia mellifera</i>	30 / 2	40	0.15 l 72	Vasey's prickly-pear	<u><i>Opuntia vaseyi</i></u> [±]	10 / 2	24
1.20 r 154	sugar bush	<u><i>Rhus ovata</i></u> [±]	5 / 2	25	0.15 l	(coast live oak, <i>Quercus agrifolia var. agrifolia</i>)			
1.20 l 155	*purple false-brome	<i>Brachypodium distachyon</i>	20 / 1	6	0.16 r 73	San Diego wreathplant	<i>Stephanomeria diegensis</i>	20 / 4	21
1.20 b 156	chamise	<i>Adenostoma fasciculatum</i>	20 / 1	37	r 74	pin-point clover	<i>Trifolium gracilentum var. gracilentum</i>	10 / 2	8
1.20 r 157	southern honeysuckle	<i>Lonicera subspicata var. denudata</i>	5 / 2	40	r 75	small-head field clover	<i>Trifolium microcephalum</i>	10 / 1	10
					76	shooting star	<i>Dodecatheon clevelandii ssp. clevelandii</i>	99 / 3	11

1	Check specimens here for bloom to see if they are common spikerush, , or wire rush, <i>Juncus balticus</i>				1.05 l 130	leafy daisy	<i>Erigeron foliosus var. foliosus</i>	1 / 1	43
0.20 l 77	*prickly sow thistle	<i>Sonchus asper ssp. asper</i>	/ 1	30	1.06 l 131	poison oak	<i>Toxicodendron diversilobum</i>	5 / 1	43
0.20 l	Badger holes appeared here July 2002; nearly filled in by gophers in December 2002				1.06 r 132	California fuchsia	<i>Epilobium canum ssp. canum</i>	1 / 1	20
0.20 r 78	*Mediterranean barley	<i>Hordeum marinum ssp. gussoneanum</i>	50 / 2	5	1.06 r	common bedstraw	<u><i>Galium aparine</i></u> [±]	/	
0.20 r 79	warty spurge	<i>Euphorbia spathulata</i>	99 / 9	4	1.06 l	(Nice stand of somewhat hidden blue dicks, <i>Dichelostemma capitatum ssp. capitatum</i> , San Diego pea, <i>Lathyrus vestitus var. alefeldii</i> , and south coast morning-glory, <i>Calystegia macrostegia ssp. intermedia</i> .)			
0.21 r	Jct. short path to old percolation pit, now a mini-vernal pool, and ok to visit. Next 7 taxa at perc pit				1.06 r	(white everlasting, <i>Gnaphalium canescens ssp. microcephalum</i>)			
0.21 80	hooked popcorn flower	<i>Plagiobothrys undulatus</i>	99 / 2	1	1.07 l 133	bicolored everlasting	<i>Gnaphalium bicolor</i>	5 / 2	29
0.21 81	Bolander's water-starwort	<i>Callitriche heterophylla var. bolanderi</i>	99 / 2	3	1.07 r 134	slender vetch	<i>Vicia hassei</i>	10 / 3	6
0.21 82	woolly marbles	<i>Psilocarphus brevissimus var. brevissimus</i>	50 / 2	2	1.07 r 135	pellitory	<i>Parietaria hespera var. hespera</i>	1 / 1	6
0.21 83	spike primrose	<i>Epilobium densiflorum</i>	10 / 1	5	1.07 l 136	white-flowering currant	<i>Ribes indecorum</i>	10 / 3	22
0.21 84	prostrate navarretia	<i>Navarretia prostrata</i>	5 / 1	1	1.07 r 137	southern miner's lettuce	<i>Claytonia perfoliata ssp. mexicana</i>	20 / 2	25
0.21 85	common spikerush	<i>Eleocharis macrostachya</i>	99 / 3	11	1.07 r 138	*hedge parsley	<i>Torilis nodosa</i>	20 / 1	14
0.21 86	thread-leaved brodiaea	<i>Brodiaea filifolia</i>	50 / 4	2	1.07 r 139	San Diego pea	<i>Lathyrus vestitus var. alefeldii</i>	2 / 2	21
0.22	Back on main trail				1.07 r 140	south coast morning-glory	<u><i>Calystegia macrostegia ssp. intermedia</i></u> [±]	10 / 1	19
0.25 l	(large Engelmann oak, <i>Quercus engelmannii</i>)				1.07 r 141	blue wildrye	<i>Elymus glaucus ssp. glaucus</i>	20 / 1	21
0.26 l	Outer part of curve of trail is one of the best shooting star fields, accompanied by blennosperma and goldfields.				1.08 142	*(milk thistle)	<u><i>Silybum marianum</i></u> [±]	1 / 1	9
0.29 l 87	Two young Engelmann oaks	<i>Quercus engelmannii</i>	10 / 5	23	1.09 r 143	climbing bedstraw	<i>Galium nuttallii ssp. nuttallii</i>	10 / 3	30
					1.09 r	Bench			
					1.11 r	Field of purple sanicle			

0.91 l 120	coast live oak	<i>Quercus agrifolia</i> var. <i>agrifolia</i>	1 / 1	42	r	(Check for <i>Plagiobothrys arizonicus</i> or intergrade with it)		
0.91 l	Engelmann oak growing inside the coast live oak				0.34 r 88	western buttercup	<i>Ranunculus occidentalis</i>[±]	50 / 9 6
0.92 l 121	coast-range melic	<i>Melica imperfecta</i>	10 / 2	43	0.34	Curve left		
0.92 l	(Flat-topped bent Englemann oak off trail. It probably grew under another tree that is no longer present.)				0.35 b 89	California poppy	<i>Eschscholzia californica</i>	30 / 3 29
l	(hollyleaf redberry, <i>Rhamnus ilicifolia</i> , in prickly pear)				90	*long-beaked filaree	<i>Erodium botrys</i>	50 / 5 11
0.93 l	View of Elsinore peak with ~6 antenna on it at ~10 o'clock				r	Pristine field of purple needlegrass, <i>Nassella pulchra</i>		
l	(white sage, <i>Salvia apiana</i>)				0.40 l	Famous "see-through" tree shell in distance on left, with just bark left standing.		
0.94 l 122	bush lupine	<i>Lupinus excubitus</i> var. <i>hallii</i>	5 / 1	10	0.40 r 91	*(gazania)	<i>Gazania X (mounding hybrid)</i>[±]	1 / 1 6
0.94 l 123	lanceleaf dudleya	<i>Dudleya lanceolata</i>	1 / 1	20	0.42 l 92	nodding needlegrass	<i>Nassella cernua</i>	99 / 5 16
0.95 l 124	bird's-foot fern	<i>Pellaea mucronata</i> var. <i>mucronata</i>	1 / 1	30	0.42 l	Jct. Trans Preserve Trail		
1.00 b	Field of shooting stars				0.43 l	(coyote bush, <i>Baccharis pilularis</i>)		
1.01 r	White variant of owl's-clover, <i>Castilleja densiflora</i>				0.44 r 93	white everlasting	<i>Gnaphalium canescens</i> ssp. <i>microcephalum</i>	7 / 3 36
1.04 r 125	tomcat clover	<i>Trifolium willdenovii</i>	20 / 1	17	0.45 l 94	Mexican rush	<i>Juncus mexicanus</i>	20 / 1 16
1.04 r	California everlasting	<i>Gnaphalium californicum</i>[±]	/		0.46 r 95	*winter vetch	<i>Vicia villosa</i> ssp. <i>varia</i>[±]	99 / 1 19
1.05	Trail turns right and drops off top of Mesa de Colorado				0.47 l	Display Board with story of Vernal Pool on one side, basalt weathering on the other.		
1.05 l 126	*white-stemmed filaree	<i>Erodium moschatum</i>	20 / 1	20	0.48 l	(laurel sumac, <i>Malosma laurina</i>)		
1.05 l 127	coffee fern	<i>Pellaea andromedifolia</i>	1 / 1	22	0.49 l	First large Engelmann oak, <i>Quercus engelmannii</i> , on the trail		
1.05 l 128	caterpillar phacelia	<i>Phacelia cicutaria</i> var. <i>hispidata</i>	50 / 1	16	0.49 l 96	laurel sumac	<i>Malosma laurina</i>	10 / 3 42
1.05 b 129	wild-cucumber	<i>Marah macrocarpus</i> var. <i>macrocarpus</i>	5 / 1	44	0.50 l 97	California everlasting	<i>Gnaphalium californicum</i>[±]	30 / 4 42

0.55	Trail bends left					0.68	Center of boardwalk			
98	*tumble pigweed	<i>Amaranthus albus</i>	3 / 2	12		0.68 r 113	water crowfoot	<i>Ranunculus aquatilis var. capillaceus</i>	5 / 1	2
0.61 r 99	*(bull thistle)	<u><i>Cirsium vulgare</i></u> [±]	1 / 1	17		0.68 c 114	*grass poly	<i>Lythrum hyssopifolia</i>	10 / 1	14
0.63 l	Begin main population of thread-leaved brodiaea, <i>Brodiaea filifolia</i>									
0.64	Bench; Jct. loop trail around pool. Go right to pool, taking the loop counter-clockwise.									
0.65 b 100	slender tarweed	<i>Hemizonia fasciculata</i>	20 / 2	17		0.68 r 115	clover fern	<i>Marsilea vestita ssp. vestita</i>	10 / 1	3
0.66	Begin boardwalk. The hooked popcorn flower makes the white color at the Pool.									
0.66 r 101	purslane speedwell	<i>Veronica peregrina ssp. xalapensis</i>	10 / 2	3		0.69 r 116	*Carolina canarygrass	<i>Phalaris caroliniana</i>	1 / 1	2
0.66 r 102	common bedstraw	<u><i>Galium aparine</i></u> [±]	20 / 2	38		0.71 b 117	*cut-leaved geranium	<i>Geranium dissectum</i>	20 / 1	13
0.66 l 103	*rabbits-foot grass	<i>Polypogon monspeliensis</i>	20 / 2	22		0.71	End boardwalk; continue on loop trail			
0.66 r 104	annual hairgrass	<i>Deschampsia danthonioides</i>	20 / 1	1		0.71 l	Blennosperma and goldfields patch			
0.66 l 105	San Diego button-celery	<i>Eryngium aristulatum var. parishii</i>	50 / 1	2		0.73 r 118	western toad rush	<i>Juncus bufonius var. occidentalis</i>	10 / 1	2
0.66 r 106	*brass-buttons	<i>Cotula coronopifolia</i>	10 / 2	4		0.74	(Check for different <i>Plagiobothrys</i> , <i>collinus</i> ?)			
0.66 b 107	spotted downingia	<i>Downingia bella</i>	99 / 1	1		0.79	Spot from which pool pictures were taken for 2002 onward.			
0.67 r 108	smooth goldfields	<i>Lasthenia glaberrima</i>	5 / 1	1		0.83	End loop trail; continue on Vernal Pool Trail to the right.			
0.67 r 109	willow weed	<u><i>Polygonum lapathifolium</i></u> [±]	1 / 1	2		0.85	Spot from which pool pictures were taken for 2001.			
0.67 b 110	alkali mallow	<i>Malvella leprosa</i>	40 / 2	1		0.85 r	(In the prickly pear: coast-range melic, <i>Melica imperfecta</i> ; bee plant, <i>Scrophularia californica ssp. floribunda</i> ; and bicolored everlasting, <i>Gnaphalium bicolor</i> .)			
0.68 l 111	knot grass	<i>Paspalum distichum</i>	99 / 2	7		0.88 r	Badger holes appeared here April 2002, the first badger holes on the trail in my experience (since 1996). Nearly filled in by gophers in December 2002			
0.68 r 112	Orcutt's quillwort	<i>Isoetes orcuttii</i>	1 / 1	1		0.89 r 119	*spring vetch	<i>Vicia sativa ssp. sativa</i>	30 / 3	6
						0.91 l	Second set of April 2002 badger holes			
						0.91	End wheelchair-accessible portion of trail			